abcam

Product datasheet

Anti-ZC3H12D antibody ab100862

2 References III

両偽粉り

医薬用外毒物

製品の概要

製品名 Anti-ZC3H12D antibody

製品の詳細 Rabbit polyclonal to ZC3H12D

由来種 Rabbit

アプリケーション 適用あり: WB, IHC-P

種交差性 交差種: Human

免疫原 A 16 amino acid peptide from the intermediate residues of Human ZC3H12D protein (NP_997243).

ポジティブ・コントロール WB: Fetal small intestine lysate and fetal spleen lystae IHC-P: Fetal small intestine

特記事項
The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Lyophilized:Add 200 ul of sterile distilled water

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.

パッファー pH: 7.20

Preservative: 0.02% Sodium azide Constituents: 0.5% BSA, PBS

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ IgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab100862の使用に適用されます

1


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/1000. Predicted molecular weight: 58 kDa.
IHC-P		Use at an assay dependent concentration.

ターゲット情報

機能	May regulate cell growth likely by suppressing RB1 phosphorylation (PubMed:19531561). May function as RNase and regulate the levels of target RNA species (Potential). In association with ZC3H12A enhances the degradation of interleukin IL-6 mRNA level in activated macrophages (PubMed:26134560). Serve as a tumor suppressor in certain leukemia cells (PubMed:17210687). Overexpression inhibits the G1 to S phase progression through suppression of RB1 phosphorylation (PubMed:19531561).
組織特異性	Expressed in normal human lymphocytes but defective in some leukemia/lymphoma cell lines.
関連疾患	A chromosomal aberration involving ZC3H12D may be the cause of the transformation of follicular lymphoma (FL) to diffuse large B-cell lymphoma (DLBCL). Translocation t(2;6)(p12;q25) with IGK. Resulting protein may not be expressed.
配列類似性	Belongs to the ZC3H12 family. Contains 1 C3H1-type zinc finger.
細胞内局在	Cytoplasm. Nucleus; Cytoplasm. Localized as discrete granules. Colocalized with mRNA-processing body markers, AGO2 and DCP1A, but not with a stress granule maker, TIA1, in the cytoplasm and Cytoplasm, P-body. Colocalizes with ZC3H12A in GW bodies (GWBs) (PubMed:26134560).

画像




All lanes: Anti-ZC3H12D antibody (ab100862) at 1/500 dilution

Lane 1: Human fetal small intestine lysate

Lane 2: Human fetal spleen lysate

Predicted band size: 58 kDa **Observed band size:** 57 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-ZC3H12D antibody (ab100862)

ab100862, at a 1/100 dilution, staining ZC3H12D in formalin-fixed, paraffin-embedded Human fetal small intestine tissue, showing cytoplasmic staining, by Immunohistochemistry.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- · We provide support in Chinese, English, French, German, Japanese and Spanish
- · Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

Guarantee only valid for products bought direct from Abcam or one of our authorized distributors