

Anti-ZMIZ2 antibody ab113277

画像数 1

製品の概要

製品名	Anti-ZMIZ2 antibody
製品の詳細	Rabbit polyclonal to ZMIZ2
由来種	Rabbit
特異性	ab113277 is predicted to not cross-react with other ZMIZ protein family members.
アプリケーション	適用あり: WB
種交差性	交差種: Mouse
免疫原	A 17 amino acid synthetic peptide corresponding to internal sequence amino acids of Human ZMIZ2.
ポジティブ・コントロール	A20 cell lysate.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at 4°C (stable for up to 12 months).
バッファー	<p>pH: 7.2</p> <p>Preservative: 0.02% Sodium azide</p> <p>Constituent: 99% PBS</p>
精製度	Immunogen affinity purified
特記事項(精製)	ab113277 is purified by affinity chromatography via a peptide column.
ポリ/モノ	ポリクローナル
アイソタイプ	IgG


The Abpromise guarantee Abpromise保証は、 次のテスト済みアプリケーションにおけるab113277の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 0.25 - 0.5 µg/ml. Predicted molecular weight: 97 kDa.

ターゲット情報

機能	Increases ligand-dependent transcriptional activity of AR and other nuclear hormone receptors.
組織特異性	Expressed most abundantly in testis with lower levels in heart, brain, pancreas, prostate and ovary.
配列類似性	Contains 1 SP-RING-type zinc finger.
ドメイン	The C-terminal proline-rich domain possesses a significant intrinsic transcriptional activity. This activity is inhibited by the N-terminus in the full-length protein.
細胞内局在	Nucleus. Detected at replication foci throughout S phase.

画像



Lane 1 : Anti-ZMIZ2 antibody (ab113277) at 0.25 µg/ml

Lane 2 : Anti-ZMIZ2 antibody (ab113277) at 0.5 µg/ml

All lanes : A20 cell lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 97 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors