abcam

Product datasheet

Anti-ZMYM2/RAMP antibody ab106624

3 References 画像数 1

製品の概要

製品名 Anti-ZMYM2/RAMP antibody

製品の詳細 Rabbit polyclonal to ZMYM2/RAMP

由来種 Rabbit

特異性 At least three isoforms of ZMYM2/RAMP are known to exist; ab106624 will detect only the longest

isoform. It is predicted to not cross react with other ZMYM protein family members.

アプリケーション **適用あり**: WB

種交差性 交差種: Mouse

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール EL4 cell lysate

特記事項
The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at 4°C (stable for up to 12 months).

バッファー pH: 7.2

Preservative: 0.02% Sodium azide

Constituent: PBS

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ lgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテ

Abpromise保証は、次のテスト済みアプリケーションにおけるab106624の使用に適用されます


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 0.125 - 0.25 µg/ml. Predicted molecular weight: 155 kDa.

ターゲット情報

機能	May function as a transcription factor.	
関連疾患	Note=A chromosomal aberration involving ZMYM2 may be a cause of stem cell leukemia lymphoma syndrome (SCLL). Translocation t(8;13)(p11;q12) with FGFR1. SCLL usually presents as lymphoblastic lymphoma in association with a myeloproliferative disorder, often accompanied by pronounced peripheral eosinophilia and/or prominent eosinophilic infiltrates in the affected bone marrow.	
配列類似性	Contains 9 MYM-type zinc fingers.	
細胞内局在	Nucleus.	
製品の状態	There are 2 isoforms produced by alternative splicing.	

画像



Lane 1 : Anti-ZMYM2/RAMP antibody (ab106624) at 0.125 μ g/ml

Lane 2: Anti-ZMYM2/RAMP antibody (ab106624) at 0.25 µg/ml

All lanes: EL4 cell lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 155 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors