


Anti-ZNF462 antibody ab117771

1 References [画像数 4](#)

製品の概要

製品名	Anti-ZNF462 antibody
製品の詳細	Rabbit polyclonal to ZNF462
由来種	Rabbit
アプリケーション	適用あり: WB, IP, IHC-P
種交差性	交差種: Mouse, Human 交差が予測される動物種: Rabbit, Guinea pig, Cow, Pig, Chimpanzee, Rhesus monkey, Gorilla, Orangutan, Elephant 
免疫原	Synthetic peptide corresponding to Human ZNF462 aa 2450-2550. Database link: Q96JM2
ポジティブ・コントロール	WB: HeLa, HEK-293T and NIH/3T3 whole cell lysates. IP: HEK-293T whole cell lysate. IHC-P: Human lung cancer tissue.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 7 Preservative: 0.09% Sodium azide Constituent: 99% Tris citrate/phosphate
精製度	pH 7 to 8 Immunogen affinity purified
特記事項 (精製)	ab117771 was affinity purified using an epitope specific to ZNF462 immobilized on solid support.
ポリ/モノ	ポリクローナル

アイソタイプlgG

アプリケーション


The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab117771の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/1000 - 1/5000. Predicted molecular weight: 285 kDa.
IP		Use at 2-10 µg/mg of lysate.
IHC-P		1/1000 - 1/5000. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

ターゲット情報

機能	May be involved in transcriptional regulation.
配列類似性	Contains 27 C2H2-type zinc fingers.
翻訳後修飾	Phosphorylated upon DNA damage, probably by ATM or ATR.
細胞内局在	Nucleus.

画像



All lanes : Anti-ZNF462 antibody (ab117771) at 0.4 µg/ml


Lane 1 : HeLa whole cell lysate

Lane 2 : HEK-293T whole cell lysate

Lysates/proteins at 50 µg per lane.


Predicted band size: 285 kDa

Samples: Whole cell lysate (50 µg) from HeLa and HEK293T cells prepared using NETN lysis buffer. *Antibodies:* Affinity purified ab117771 used for WB at 0.4 µg/ml. *Detection:* Chemiluminescence with an exposure time of 30 seconds.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ZNF462 antibody (ab117771)

Immunohistochemical analysis of human lung cancer tissue labeling ZNF462 with ab117771 at a dilution of 1/5000.




Immunoprecipitation - Anti-ZNF462 antibody (ab117771)

Detection of human ZNF462 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HEK293T cells prepared using NETN lysis buffer. *Antibodies:* Affinity purified ab117771 used for IP at 6 µg per reaction. For blotting immunoprecipitated ZNF462, ab117771 was used at 1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 3 minutes.

Lane 1 : Anti-ZNF462 antibody (ab117771)

Lane 2 : Control IgG

All lanes :



Western blot - Anti-ZNF462 antibody (ab117771)

Anti-ZNF462 antibody (ab117771) at 0.4 µg/ml + NIH/3T3 whole cell lysate at 50 µg

Predicted band size: 285 kDa

Samples: Whole cell lysate (50 µg) from NIH/3T3 cells prepared using NETN lysis buffer. *Antibodies:* Affinity purified ab117771 used for WB at 0.4 µg/ml. *Detection:* Chemiluminescence with an exposure time of 3 minutes.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors