

Product datasheet

Recombinant Human Annexin V/ANXA5 protein ab89493

★★★★★ [1 Abreviews](#) [2 References](#) [画像数 2](#)

製品の詳細

製品名	Recombinant Human Annexin V/ANXA5 protein
精製度	> 95 % SDS-PAGE. ab89493 is purified using conventional chromatography techniques.
発現系	Escherichia coli
アクセッション番号	P08758
タンパク質長	Full length protein
Animal free	No
由来	Recombinant
生物種	Human
領域	1 to 320

特性

Our **Abpromise guarantee** covers the use of **ab89493** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Western blot SDS-PAGE
製品の状態	Liquid
備考	This product was previously labelled as Annexin V


前処理および保存

保存方法および安定性	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle. pH: 8.00 Constituents: 0.0154% DTT, 0.316% Tris HCl, 10% Glycerol (glycerin, glycerine)
------------	--

関連情報

機能	This protein is an anticoagulant protein that acts as an indirect inhibitor of the thromboplastin-specific complex, which is involved in the blood coagulation cascade.
関連疾患	Pregnancy loss, recurrent, 3
配列類似性	Belongs to the annexin family. Contains 4 annexin repeats.
ドメイン	The [IL]-x-C-x-x-[DE] motif is a proposed target motif for cysteine S-nitrosylation mediated by the iNOS-S100A8/A9 transnitrosylase complex. A pair of annexin repeats may form one binding site for calcium and phospholipid.
翻訳後修飾	S-nitrosylation is induced by interferon-gamma and oxidatively-modified low-density lipoprotein (LDL(ox)) possibly implicating the iNOS-S100A8/9 transnitrosylase complex.


画像



SDS-PAGE analysis of Recombinant Human Annexin V protein (ab89493), under reducing conditions. Proteins visualized by coomassie blue stain.

Lane 1: Molecular Weight Standards

Lane 2: 3 µg Recombinant Human Annexin V protein



Anti-Annexin V/ANXA5 antibody ([ab30941](#)) at 1 µg/ml +
Recombinant Human Annexin V/ANXA5 protein (ab89493) at 0.1 µg

Secondary

Goat Anti-Rabbit IgG H&L (HRP) preadsorbed ([ab97080](#)) at 1/5000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Exposure time: 20 seconds

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors