abcam

Product datasheet

Recombinant human CaMKK protein ab55692

画像数 4

製品の詳細

製品名 Recombinant human CaMKK protein

生理活性 Specific Activity: 10 nmol/min/mg

精製度 > 90 % Densitometry.

Affinity purified.

発現系 Baculovirus infected Sf9 cells

タンパク質長 Full length protein

Animal free No

由来 Recombinant

生物種 Human

特性

Our Abpromise guarantee covers the use of ab55692 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション SDS-PAGE

Functional Studies

製品の状態 Liquic

備考 <u>ab43614</u> (Human Myelin Basic Protein full length protein) can be utilized as a substrate for

assessing Kinase activity

前処理および保存

保存方法および安定性 Shipped on dry ice. Upon delivery aliquot and store at -80°C. Avoid freeze / thaw cycles.

pH: 7.50

Constituents: 0.0038% EGTA, 0.00174% PMSF, 0.00385% DTT, 0.79% Tris HCI, 0.00292%

EDTA, 25% Glycerol (glycerin, glycerine), 0.87% Sodium chloride

This product is an active protein and may elicit a biological response in vivo, handle with caution.

関連情報

1

機能 Calcium/calmodulin-dependent protein kinase that belongs to a proposed calcium-triggered

signaling cascade involved in a number of cellular processes. Phosphorylates CAMK1,

CAMK1D, CAMK1G and CAMK4. Involved in regulating cell apoptosis. Promotes cell survival by

phosphorylating AKT1/PKB that inhibits pro-apoptotic BAD/Bcl2-antagonist of cell death.

配列類似性 Belongs to the protein kinase superfamily. Ser/Thr protein kinase family.

Contains 1 protein kinase domain.

ドメイン The autoinhibitory domain overlaps with the calmodulin binding region and may be involved in

intrasteric autoinhibition.

The RP domain (arginine/proline-rich) is involved in the recognition of CAMKI and CAMK4 as

substrates.

翻訳後修飾 Appears to be autophosphorylated in a Ca(2+)/calmodulin-dependent manner. Phosphorylated at

multiple sites by PRCAKA/PKA. Phosphorylation of Ser-458 is blocked upon binding to


The specific activity of CaMKK (ab55692) was determined to be 9

Ca(2+)/calmodulin. In vitro, phosphorylated by CAMK1 and CAMK4.

nmol/min/mg as per activity assay protocol


細胞内局在 Cytoplasm. Nucleus.

画像




Functional Studies - Recombinant human CaMKK

protein (ab55692)




SDS-PAGE - Recombinant human CaMKK protein (ab55692)

SDS PAGE analysis of ab55692



protein (ab55692)

Kinase activity plot using ab55692. Specific acivity: 10nmol/min/mg.



SDS-PAGE analysis of ab55692 with molecular weight markers. Approximate molecular weight: 94kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors