abcam

Product datasheet

Recombinant human CSNK2A2 protein ab105125

画像数 2

製品の詳細

製品名 Recombinant human CSNK2A2 protein

生理活性 Specific activity: 63 nmol/min/mg

精製度 > 95 % Densitometry.

Affinity purified.

発現系 Baculovirus infected Sf9 cells

アクセッション番号 <u>P19784</u>

タンパク質長 Full length protein

Animal free No

由来 Recombinant

生物種 Human

予測される分子量 64 kDa including tags

領域 1 to 350

特性

Our Abpromise guarantee covers the use of ab105125 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション Western blot

Functional Studies

製品の状態 Liquid

備考 <u>ab204855</u> (CKII peptide) can be utilized as a substrate for assessing kinase activity

This product was previously labelled as CKII alpha prime polypeptide

前処理および保存

保存方法および安定性 Shipped on dry ice. Upon delivery aliquot and store at -80°C. Avoid freeze / thaw cycles.

pH: 7.50

Constituents: 0.307% Glutathione, 0.00174% PMSF, 0.00385% DTT, 0.79% Tris HCl, 0.00292%

EDTA, 25% Glycerol (glycerin, glycerine), 0.87% Sodium chloride

1

関連情報

機能


Catalytic subunit of a constitutively active serine/threonine-protein kinase complex that phosphorylates a large number of substrates containing acidic residues C-terminal to the phosphorylated serine or threonine. Regulates numerous cellular processes, such as cell cycle progression, apoptosis and transcription, as well as viral infection. May act as a regulatory node which integrates and coordinates numerous signals leading to an appropriate cellular response. During mitosis, functions as a component of the p53/TP53-dependent spindle assembly checkpoint (SAC) that maintains cyclin-B-CDK1 activity and G2 arrest in response to spindle damage. Also required for p53/TP53-mediated apoptosis, phosphorylating 'Ser-392' of p53/TP53 following UV irradiation. Can also negatively regulate apoptosis. Phosphorylates the caspases CASP9 and CASP2 and the apoptotic regulator NOL3. Phosphorylation protects CASP9 from cleavage and activation by CASP8, and inhibits the dimerization of CASP2 and activation of CASP8. Regulates transcription by direct phosphorylation of RNA polymerases I, II, III and IV. Also phosphorylates and regulates numerous transcription factors including NF-kappa-B, STAT1, CREB1, IRF1, IRF2, ATF1, SRF, MAX, JUN, FOS, MYC and MYB. Phosphorylates Hsp90 and its co-chaperones FKBP4 and CDC37, which is essential for chaperone function. Regulates Wnt signaling by phosphorylating CTNNB1 and the transcription factor LEF1. Acts as an ectokinase that phosphorylates several extracellular proteins. During viral infection, phosphorylates various proteins involved in the viral life cycles of EBV, HSV, HBV, HCV, HIV, CMV and HPV.

配列類似性

protein (ab105125)

Belongs to the protein kinase superfamily. Ser/Thr protein kinase family. CK2 subfamily. Contains 1 protein kinase domain.

画像



Sample Kinase Activity Plot. The specific activity of CSNK2A2 was determined to be 63 nmol/min/mg.



Recombinant human CSNK2A2 protein (ab105125) + Full length recombinant human CSNK2A2 plus proprietary tag

Sample Purity Data.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

protein (ab105125)

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors