# abcam

## Product datasheet

## Recombinant Human G3BP protein ab103304

#### 画像数1

製品の詳細

製品名 Recombinant Human G3BP protein

精製度 > 85 % SDS-PAGE.

ab103304 was purified using conventional chromatography techniques.

**発現系** Escherichia coli

アクセッション番号 Q13283

タンパク質長 Full length protein

Animal free No

由来 Recombinant

生物種 Human

配列 MVMEKPSPLLVGREFVRQYYTLLNQAPDMLHRFYGKNSSYVH

**GGLDSNGK** 

PADAVYGQKEIHRKVMSQNFTNCHTKIRHVDAHATLNDGVVV

QVMGLLSN

NNQALRRFMQTFVLAPEGSVANKFYVHNDIFRYQDEVFGGFV

**TEPQEESE** 

EEVEEPEERQQTPEVVPDDSGTFYDQAVVSNDMEEHLEEPVA

**EPEPDPEP** 

EPEQEPVSEIQEEKPEPVLEETAPEDAQKSSSPAPADIAQTV

**QEDLRTFS** 

WASVTSKNLPPSGAVPVTGIPPHVVKVPASQPRPESKPESQI

PPQRPQRD

QRVREQRINIPPQRGPRPIREAGEQGDIEPRRMVRHPDSHQL

**FIGNLPHE** 

VDKSELKDFFQSYGNVVELRINSGGKLPNFGFVVFDDSEPVQ

**KVLSNRPI** 

MFRGEVRLNVEEKKTRAAREGDRRDNRLRGPGGPRGGLGGGM

RGPPRGGM VQKPGFGVGRGLAPRQVEHHHHHH

予測される分子量 53 kDa including tags

**領域** 1 to 466

タグ His tag C-Terminus

特性

1

Our **Abpromise guarantee** covers the use of **ab103304** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション SDS-PAGE

Mass Spectrometry

**質量分析** MALDI-TOF

製品の状態 Liquid

#### 前処理および保存

保存方法および安定性 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

pH: 8.00

Constituents: 0.0308% DTT, 0.316% Tris HCl, 10% Glycerol (glycerin, glycerine), 0.58% Sodium

chloride

#### 関連情報

機能 May be a regulated effector of stress granule assembly. Phosphorylation-dependent sequence-

specific endoribonuclease in vitro. Cleaves exclusively between cytosine and adenine and cleaves MYC mRNA preferentially at the 3'-UTR. ATP- and magnesium-dependent helicase. Unwinds preferentially partial DNA and RNA duplexes having a 17 bp annealed portion and either a hanging 3' tail or hanging tails at both 5'- and 3'-ends. Unwinds DNA/DNA, RNA/DNA, and RNA/RNA substrates with comparable efficiency. Acts unidirectionally by moving in the 5' to 3'

direction along the bound single-stranded DNA.

組織特異性 Ubiquitous.

配列類似性 Contains 1 NTF2 domain.

Contains 1 RRM (RNA recognition motif) domain.

ドメイン The NTF2 domain mediates multimerization.

翻訳後修飾 Phosphorylated exclusively on serine residues. Hyperphosphorylated in quiescent fibroblasts.

Hypophosphorylation leads to a decrease in endoribonuclease activity (By similarity). RASA1-dependent phosphorylation of Ser-149 induces a conformational change that prevents self-association. Dephosphorylation after HRAS activation is required for stress granule assembly.

Ser-149 phosphorylation induces partial nuclear localization.


Arg-435 is dimethylated, probably to asymmetric dimethylarginine.

細胞内局在 Cytoplasm. Cytoplasm > cytosol. Cell membrane. Nucleus. Cytoplasmic in proliferating cells, can

be recruited to the plasma membrane in exponentially growing cells (By similarity). Cytosolic and partially nuclear in resting cells. Recruited to stress granules (SGs) upon either arsenite or high

temperature treatment. Recruitment to SGs is influenced by HRAS.

#### 画像



SDS-PAGE analysis of Recombinant Human G3BP protein (ab103304), under reducing conditions. Proteins visualized by coomassie blue stain.

Lane 1: Molecular Weight Standards

Lane 2: 3 µg Recombinant Human G3BP protein

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors