# abcam

## Product datasheet

## Recombinant Human GRX2 protein ab95471

1 References 画像数 1

製品の詳細

製品名 Recombinant Human GRX2 protein

精製度 > 90 % SDS-PAGE.

ab95471 was purified by using conventional chromatography.

**発現系** Escherichia coli

タンパク質長 Full length protein

Animal free No.

**由来** Recombinant

生物種 Human

配列 MSAGWLDRAA GAAGAAAAA SGMESNTSSS

LENLATAPVN QIQETISDNC VVIFSKTSCS YCTMAKKLFH DMNVNYKVVE LDLLEYGNQF QDALYKMTGE RTVPRIFVNG TFIGGATDTH

RLHKEGKLLP LVHQCYLKKS KRKEFQLEHH HHHH

特性

Our Abpromise guarantee covers the use of ab95471 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション SDS-PAGE

Mass Spectrometry

製品の状態 Liquid

備考 This product was previously labelled as Glutaredoxin 2.

前処理および保存

保存方法および安定性 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

pH: 8.00

Constituents: 0.00174% PMSF, 0.316% Tris HCI, 10% Glycerol (glycerin, glycerine)

1

#### 関連情報

#### 機能

Glutathione-dependent oxidoreductase that facilitates the maintenance of mitochondrial redox homeostasis upon induction of apoptosis by oxidative stress. Involved in response to hydrogen peroxide and regulation of apoptosis caused by oxidative stress. Acts as a very efficient catalyst of monothiol reactions because of its high affinity for protein glutathione-mixed disulfides. Can receive electrons not only from glutathione (GSH), but also from thioredoxin reductase supporting both monothiol and dithiol reactions. Efficiently catalyzes both glutathionylation and

deglutathionylation of mitochondrial complex I, which in turn regulates the superoxide production by the complex. Overexpression decreases the susceptibility to apoptosis and prevents loss of

cardiolipin and cytochrome c release.

組織特異性 Widely expressed. Expressed in brain, heart, skeletal muscle, colon, thymus, spleen, kidney, liver,


small intestine, placenta and lung. Not expressed in peripheral blood leukocytes.

**配列類似性** Belongs to the glutaredoxin family.

Contains 1 glutaredoxin domain.

細胞内局在 Mitochondrion and Nucleus.

#### 画像



15% SDS-PAGE analysis of 3µg ab95471.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

## Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors