# abcam

## Product datasheet

## Recombinant human RIP2 protein ab60879

#### 画像数5

#### 製品の詳細

製品名 Recombinant human RIP2 protein

精製度 > 90 % Densitometry.

Affinity purified.

発現系 Baculovirus infected Sf9 cells

タンパク質長 Protein fragment

Animal free No

由来 Recombinant

**生物種** Human 領域 1 to 299

#### 特性

Our Abpromise guarantee covers the use of ab60879 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション SDS-PAGE

**Functional Studies** 

製品の状態 Liquid

備考 <u>ab64311</u> (Myelin Basic Protein protein) can be utilized as a substrate for assessing kinase

activity

#### 前処理および保存

保存方法および安定性 Shipped on dry ice. Upon delivery aliquot and store at -80°C. Avoid freeze / thaw cycles.

pH: 7.50

Constituents: 0.0038% EGTA, 0.00174% PMSF, 0.00385% DTT, 0.79% Tris HCl, 0.00292%

EDTA, 25% Glycerol (glycerin, glycerine), 0.87% Sodium chloride

This product is an active protein and may elicit a biological response in vivo, handle with caution.

#### 関連情報

1

機能 Activates pro-caspase-1 and pro-caspase-8. Potentiates CASP8-mediated apoptosis. Activates

NF-kappa-B.

組織特異性 Detected in heart, brain, placenta, lung, peripheral blood leukocytes, spleen, kidney, testis,

prostate, pancreas and lymph node.

配列類似性 Belongs to the protein kinase superfamily. TKL Ser/Thr protein kinase family.

Contains 1 CARD domain.


Contains 1 protein kinase domain.

翻訳後修飾 Autophosphorylated. Phosphorylated upon DNA damage, probably by ATM or ATR.

Ubiquitinated; undergoes 'Lys-63'-linked polyubiquitination catalyzed by ITCH.


細胞内局在 Cytoplasm.

#### 画像




Functional Studies - Recombinant human RIP2 protein (ab60879)

The specific activity of RIP2 (ab60879) was determined to be 20 nmol/min/mg as per activity assay protocol




SDS-PAGE - Recombinant human RIP2 protein (ab60879)


SDS PAGE analysis of ab60879



SDS PAGE analysis of ab60879



Sample Kinase Activity Plot.



ab60879 on SDS-PAGE, MW ~59 kDa.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors