# abcam

## Product datasheet

# Recombinant human SRPK1 protein ab85295

#### 画像数 5

製品の詳細

製品名 Recombinant human SRPK1 protein

**生理活性** Specific activity: 203nmol/min/mg.

精製度 > 90 % Densitometry.

Affinity purified.

発現系 Baculovirus infected Sf9 cells

タンパク質長 Full length protein

Animal free No

**由来** Recombinant

生物種 Human

#### 特性

Our Abpromise guarantee covers the use of ab85295 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション Western blot

**Functional Studies** 

製品の状態 Liquid

備考 <u>ab64311</u> (Myelin Basic Protein protein) can be utilized as a substrate for assessing kinase

activity

#### 前処理および保存

保存方法および安定性 Shipped on dry ice. Upon delivery aliquot and store at -80°C. Avoid freeze / thaw cycles.

pH: 7.50

Constituents: 0.00174% PMSF, 0.00385% DTT, 0.79% Tris HCl, 25% Glycerol (glycerin,

glycerine), 0.87% Sodium chloride

This product is an active protein and may elicit a biological response in vivo, handle with caution.

#### 関連情報

1

#### 機能

Plays a central role in the regulatory network for splicing, controlling the intranuclear distribution of splicing factors in interphase cells and the reorganization of nuclear speckles during mitosis. Hyperphosphorylates RS domain-containing proteins such as SFRS1, SFRS2 and ZRSR2 on serine residues during metaphase but at lower levels during interphase. Locks onto SFRS1 to form a stable complex and processively phosphorylates the RS domain. Appears to mediate HBV core protein phosphorylation which is a prerequisite for pregenomic RNA encapsidation into viral capsids.

組織特異性

Isoform 2 is predominantly expressed in the testis but is also present at lower levels in heart, ovary, small intestine, liver, kidney, pancreas and skeletal muscle. Isoform 1 is only seen in the testis, at lower levels than isoform 2.

配列類似性


Belongs to the protein kinase superfamily. CMGC Ser/Thr protein kinase family.

Contains 1 protein kinase domain.

細胞内局在


Cytoplasm. Nucleus.

#### 画像



The specific activity of SRPK1 (ab85295) was determined to be 196 nmol/min/mg as per activity assay protocol

Functional Studies - Recombinant human SRPK1 protein (ab85295)




SDS-PAGE - Recombinant human SRPK1 protein (ab85295)

SDS PAGE analysis of ab85295




SDS PAGE analysis of ab85295



(ab85295)

Specific activity graph example.



SDS Page analysis of ab85295

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

## Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors