# abcam

# Product datasheet

# Vimentin peptide ab46156

## 画像数 1

#### 製品の詳細

製品名 Vimentin peptide 精製度 > 90 % HPLC.

アクセッション番号 <u>P08670</u>

Animal free No

由来 Synthetic 生物種 Human

製品の詳細 Human Vimentin peptide

#### 特性

Our Abpromise guarantee covers the use of ab46156 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション

Blocking - Blocking peptide for Anti-Vimentin antibody - Cytoskeleton Marker (ab45939)

製品の状態

Liquid

備考

- First try to dissolve a small amount of peptide in either water or buffer. The more charged residues on a peptide, the more soluble it is in aqueous solutions.
- If the peptide doesn't dissolve try an organic solvent e.g. DMSO, then dilute using water or buffer.
- Consider that any solvent used must be compatible with your assay. If a peptide does not dissolve and you need to recover it, lyophilise to remove the solvent.
- Gentle warming and sonication can effectively aid peptide solubilisation. If the solution is cloudy or has gelled the peptide may be in suspension rather than solubilised.
- Peptides containing cysteine are easily oxidised, so should be prepared in solution just prior to use.

# 前処理および保存

保存方法および安定性

Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

Information available upon request.

1

#### 関連情報

機能 Vimentins are class-Ill intermediate filaments found in various non-epithelial cells, especially

mesenchymal cells. Vimentin is attached to the nucleus, endoplasmic reticulum, and

mitochondria, either laterally or terminally.

Involved with LARP6 in the stabilization of type I collagen mRNAs for CO1A1 and CO1A2.

組織特異性 Highly expressed in fibroblasts, some expression in T- and B-lymphocytes, and little or no

expression in Burkitt's lymphoma cell lines. Expressed in many hormone-independent mammary

carcinoma cell lines.

関連疾患 Cataract 30

**配列類似性** Belongs to the intermediate filament family.

ドメイン The central alpha-helical coiled-coil rod region mediates elementary homodimerization.

The [IL]-x-C-x-x-[DE] motif is a proposed target motif for cysteine S-nitrosylation mediated by the

iNOS-S100A8/A9 transnitrosylase complex.

翻訳後修飾 Filament disassembly during mitosis is promoted by phosphorylation at Ser-55 as well as by

nestin (By similarity). One of the most prominent phosphoproteins in various cells of mesenchymal origin. Phosphorylation is enhanced during cell division, at which time vimentin filaments are significantly reorganized. Phosphorylation by PKN1 inhibits the formation of filaments.

Phosphorylated at Ser-56 by CDK5 during neutrophil secretion in the cytoplasm. Phosphorylated

by STK33.

O-glycosylated during cytokinesis at sites identical or close to phosphorylation sites, this

interferes with the phosphorylation status.

S-nitrosylation is induced by interferon-gamma and oxidatively-modified low-densitity lipoprotein

(LDL(ox)) possibly implicating the iNOS-S100A8/9 transnitrosylase complex.

細胞内局在 Cytoplasm.

#### 画像

Choose the best for your experiment from thousands of proteins and peptides



Reinforce the validity of your results with **protein controls** 



Validate specific, reliable reagents with **blocking peptides** 



Keep working on targets without specific antibodies with **fusion-tagged proteins** 



Get consistent, reproducible results with premium **bioactive proteins** 

Vimentin peptide (ab46156)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

## Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors