

### Goat Anti-Rat IgG H&L (Cy5 ®) preadsorbed ab6565

**33 References**   [画像数 1](#)

#### 製品の概要

製品名	Goat Anti-Rat IgG H&L (Cy5 ®) preadsorbed
由来種	Goat
ターゲット生物種	Rat
アプリケーション	<b>適用あり:</b> ICC, Flow Cyt, ICC/IF, ELISA, IHC-P, IHC-Fr
吸着処理血清	Chicken, Cow, Goat, Guinea pig, Hamster, Horse, Human, Mouse, Rabbit, Sheep <a href="#">more details</a>
免疫原	Rat IgG, whole molecule (H&L)
標識	Cy5 ®. Ex: 650nm, Em: 667nm

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C.
バッファー	pH: 6.5 Preservative: 0.01% Sodium azide Constituents: 0.88% Sodium chloride, 1% BSA, 0.424% Tripotassium orthophosphate
精製度	Immunogen affinity purified
特記事項 (精製)	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities.
特記事項 (標識)	Cy5.29 (Cyanine 5.29-OSu) (Molecular Weight 975 daltons) Absorption Wavelength: 650 nm Emission Wavelength: 667 nm Fluorochrome/Protein Ratio: 6.0 moles Cy5 per mole of Goat IgG
ポリ/モノ	ポリクローナル
アイソタイプ	IgG
特記事項	This product or portions thereof is manufactured under license from Carnegie Mellon University under U.S. Patent Number 5,268,486 and related patents. Cy and CyDye are trademarks of GE Healthcare Limited. This material is also subject to proprietary rights of GE Healthcare Bio-Sciences Corp. and Carnegie Mellon University and made and sold under License from GE Healthcare Bio-Sciences Corp. This product is licensed for sale only for research. It is NOT licensed for any other use. There is no implied license hereunder for any commercial use. COMMERCIAL USE shall include: 1 Sale, lease, license or other transfer of the material or any

material derived or produced from it. 2 Sale, lease, license or other grant of rights to use this material or any material derived or produced from it. 3 Use of this material to perform services for a fee for third parties. If you require a commercial license to use this material and do not have one, please return this material, unopened to Abcam Plc of 330 Cambridge Science Park, Cambridge, CB4 0FL, and any money paid for the material will be refunded.


This secondary antibody is specifically designed for the detection of multiple primary antibodies (polyclonal or monoclonal) of different host species in experiments where cells are simultaneously labeled without unwanted cross reaction.

## アプリケーション

**The Abpromise guarantee** **Abpromise保証は、次のテスト済みアプリケーションにおけるab6565の使用に適用されます**  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent dilution.
ICC/IF		1/1000 - 1/5000.
ELISA		1/10000 - 1/50000.
IHC-P		Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.

## 画像



Immunocytochemistry/ Immunofluorescence - Goat  
Anti-Rat IgG H&L (Cy5®) preadsorbed (ab6565)

ab6565 was used at dilution 1/500 with the primary antibody  
**ab6161** in ICC/IF. See the review on **ab6161**.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors