abcam

Product datasheet

Rabbit Anti-Rat IgG H&L (Alkaline Phosphatase) ab102169

画像数1

製品の概要

製品名 Rabbit Anti-Rat IgG H&L (Alkaline Phosphatase)

由来種 Rabbit ターゲット生物種 Rat

特異性 By immunoelectrophoresis and ELISA this antibody reacts specifically with rat IgG and with light

chains common to other rat immunoglobulins. No antibody was detected against non-immunoglobulin serum proteins. This antibody may cross react with IgG from other species.

アプリケーション 適用あり: IHC-P, ICC, ELISA, WB

標識 Alkaline Phosphatase

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

バッファー pH: 6.8

Preservative: 0.09% Sodium azide

Constituents: 0.58% Sodium chloride, 0.0095% Magnesium chloride, 0.00136% Zinc chloride,

1.19% HEPES, 0.2% BSA

精製度 Immunogen affinity purified

特記事項(精製) This antibody was isolated by affinity chromatography using antigen coupled to agarose beads

and conjugated to Alkaline Phosphatase.

ポリ/モノ ポリクローナル

アイソタイプ IgG


アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab102169の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-P		1/100 - 1/1000.
ICC		1/100 - 1/1000.
ELISA		1/1000 - 1/10000. (Primary ELISA).
WB		1/1000 - 1/10000. (Chemiluminescent).

画像



Western blot - Rabbit Anti-Rat IgG H&L (Alkaline Phosphatase) (ab102169) **All lanes :** Anti-Tubulin antibody [YL1/2] - Loading Control ($\underline{ab6160}$) at 1 μ g/ml (Anti-Tubulin antibody [YL1/2] - Loading Control)

All lanes : HeLa (Human epithelial carcinoma cell line) Whole Cell Lysate

Lysates/proteins at 20 µg per lane.

Secondary

Lanes 1-2: Rabbit Anti-Rat lgG H&L (Alkaline Phosphatase)
(ab102169) at 1/2000 dilution (Goat polyclonal Secondary Antibody to Rat lgG - H&L (HRP))

Lanes 3-4: Rabbit Anti-Rat IgG H&L (Alkaline Phosphatase) (ab102169) at 1/10000 dilution (Goat polyclonal Secondary Antibody to Rat IgG - H&L (HRP))

Lanes 5-6: Rabbit Anti-Rat IgG H&L (Alkaline Phosphatase) (ab102169) at 1/20000 dilution (Goat polyclonal Secondary Antibody to Rat IgG - H&L (HRP))

Developed using the ECL technique.

Performed under reducing conditions.

Observed band size: 52 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors