

Product datasheet

Anti-GABPB2 antibody ab88746

★★★★☆ 4 Abreviews 1 References 画像数 6

製品の概要

製品名	Anti-GABPB2 antibody
製品の詳細	Mouse polyclonal to GABPB2
由来種	Mouse
アプリケーション	適用あり: WB, IHC-P, ICC/IF, IP
種交差性	交差種: Mouse, Rat, Human
免疫原	Full length Human protein (NP_005245.2)
ポジティブ・コントロール	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> ウェスタン・ブロット用ポジティブコントロール Recombinant Human GABPB2 protein </div>

WB: PC-12 or Jurkat cell lysate; Hela nuclear extracts. IHC: endometrium. ICC/IF: HeLa cells.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	Preservative: None Constituents: 1 x PBS, pH 7.2
精製度	Protein A purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab88746** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
WB	★★★★☆	

アプリケーション	Abreviews	特記事項
----------	-----------	------

IHC-P

ICC/IF

IP



追加情報


ICC/IF: Use at a concentration of 10 µg/ml.
 IHC-P: Use at a concentration of 3 µg/ml. Antigen retrieval is not essential but may optimise staining. Microwave method recommended.
 WB: Use at a concentration of 1 µg/ml. Predicted molecular weight: 42 kDa.

Not yet tested in other applications.
 Optimal dilutions/concentrations should be determined by the end user.

ターゲット情報


機能 Transcription factor capable of interacting with purine rich repeats (GA repeats). Necessary for the expression of the Adenovirus E4 gene.
配列類似性 Contains 5 ANK repeats.
細胞内局在 Nucleus.

画像



Anti-GABPB2 antibody (ab88746) at 1 µg/ml
 + PC-12 cell lysate at 50 µg


Predicted band size: 42 kDa



Western blot - Anti-GABPB2 antibody (ab88746)

Anti-GABPB2 antibody (ab88746) at 1 $\mu\text{g/ml}$
+ HeLa nuclear extracts at 50 μg


Predicted band size: 42 kDa



Western blot - Anti-GABPB2 antibody (ab88746)

Anti-GABPB2 antibody (ab88746) at 1 $\mu\text{g/ml}$
+ Jurkat cell lysate at 50 μg

Predicted band size: 42 kDa



Western blot - Anti-GABPB2 antibody (ab88746)


All lanes : Anti-GABPB2 antibody (ab88746)
at 1 $\mu\text{g/ml}$

Lane 1 : lysate from transfected 293T cells

Lane 2 : lysate from non-transfected 293T
cells


Lysates/proteins at 25 μg per lane.

Predicted band size: 42 kDa



ab88746 at 3 µg/ml staining GABPB2 in formalin-fixed, paraffin-embedded Human endometrium by immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-GABPB2 antibody (ab88746)



ab88746 at 10 µg/ml staining GABPB2 in PFA-fixed, permeabilised HeLa cells by immunofluorescence.

Immunocytochemistry/ Immunofluorescence - Anti-GABPB2 antibody (ab88746)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors