

Product datasheet

Anti-MSH3 antibody [EPR4334(2)] ab111107

リコンビナント RabMAb®

1 References 画像数 3

製品の概要

| | |
|--------------|---|
| 製品名 | Anti-MSH3 antibody [EPR4334(2)] |
| 製品の詳細 | Rabbit monoclonal [EPR4334(2)] to MSH3 |
| 由来種 | Rabbit |
| アプリケーション | 適用あり: IHC-P, ICC/IF 適用なし: WB |
| 種交差性 | 交差種: Human |
| 免疫原 | A synthetic peptide corresponding to residues in Human MSH3. |
| ポジティブ・コントロール | Human colon adenocarcinoma and tonsil tissues; SW480 cells. |
| 特記事項 | Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents This product is a recombinant rabbit monoclonal antibody. |

製品の特性

| | |
|--------|--|
| 製品の状態 | Liquid |
| 保存方法 | Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C. |
| バッファー | pH: 7.20 Preservative: 0.05% Sodium azide Constituents: 0.1% BSA, 40% Glycerol, 9.85% Tris glycine, 50% Tissue culture supernatant |
| 精製度 | Tissue culture supernatant |
| ポリ/モノ | モノクローナル |
| クローン名 | EPR4334(2) |
| アイソタイプ | IgG |

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab111107** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| アプリ ケーション | Abreviews | 特記事項 |
|--------------|-----------|--|
| IHC-P | | 1/500 - 1/1000. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. Heat up to 98 degrees C, below boiling, and then let cool for 10-20 min. |
| ICC/IF | | 1/250 - 1/500. |

追加情報 Is unsuitable for WB.

ターゲット情報


機能 Component of the post-replicative DNA mismatch repair system (MMR). Heterodimerizes with MSH2 to form MutS beta which binds to DNA mismatches thereby initiating DNA repair. When bound, the MutS beta heterodimer bends the DNA helix and shields approximately 20 base pairs. MutS beta recognizes large insertion-deletion loops (IDL) up to 13 nucleotides long. After mismatch binding, forms a ternary complex with the MutL alpha heterodimer, which is thought to be responsible for directing the downstream MMR events, including strand discrimination, excision, and resynthesis.

関連疾患 Defects in MSH3 are a cause of susceptibility to endometrial cancer (ENDMC) [MIM:608089].

配列類似性 Belongs to the DNA mismatch repair mutS family. MSH3 subfamily.


翻訳後修飾 Phosphorylated upon DNA damage, probably by ATM or ATR.

画像




ab111107 at 1/500 dilution staining MSH3 in Paraffin-embedded Human colon adenocarcinoma tissue by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-MSH3 antibody [EPR4334(2)] (ab111107)



ab111107 at 1/500 dilution staining MSH3 in Paraffin-embedded Human Tonsil tissue by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-MSH3 antibody [EPR4334(2)] (ab111107)



ab111107 at 1/250 dilution staining MSH3 in SW480 cells by Immunofluorescence.

Immunocytochemistry/ Immunofluorescence - Anti-MSH3 antibody [EPR4334(2)] (ab111107)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors