

Product datasheet

Anti-NMUR1 antibody ab121959

画像数 1

製品の概要

| | |
|--------------|---|
| 製品名 | Anti-NMUR1 antibody |
| 製品の詳細 | Rabbit polyclonal to NMUR1 |
| 由来種 | Rabbit |
| アプリケーション | 適用あり: IHC-P |
| 種交差性 | 交差種: Human |
| 免疫原 | antigen sequence: TPLCLNCSVL PGDLYPGGAR NPMACNGSAA RGHFDPEDLN LTDEALRLKY LGPQQTELFM P, corresponding to amino acids 2-62 of Human NMUR1 (UniProt: Q9HB89). Run BLAST with ExPASy Run BLAST with NCBI |
| ポジティブ・コントロール | WB: RT4, Human liver and Human tonsil lysates IHC-P: Human duodenum tissue |

製品の特性

| | |
|--------|---|
| 製品の状態 | Liquid |
| 保存方法 | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. |
| バッファー | pH: 7.20 Preservative: 0.02% Sodium azide Constituents: 59% PBS, 40% Glycerol |
| 精製度 | Immunogen affinity purified |
| ポリモノ | ポリクローナル |
| アイソタイプ | IgG |

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab121959** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|---|
| IHC-P | | 1/20 - 1/50. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. |

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|------|
|----------|-----------|------|

ターゲット情報

| | |
|-------|--|
| 機能 | Receptor for the neuromedin-U and neuromedin-S neuropeptides. |
| 組織特異性 | Expressed in greatest abundance in peripheral organs, particularly in elements of the gastrointestinal and urogenital systems with highest levels in testes. In central nervous system structures express levels are much lower than those seen in peripheral organs. Within the CNS, has been detected in highest abundance in the cerebellum, dorsal root ganglia, hippocampus, and spinal cord. |
| 配列類似性 | Belongs to the G-protein coupled receptor 1 family. |
| 細胞内局在 | Cell membrane. |

画像



ab121959, at a 1/35 dilution, staining NMUR1 in paraffin-embedded Human duodenum tissue by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-NMUR1 antibody (ab121959)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors