

## Product datasheet

# Anti-Rbm15 antibody ab92881

画像数 3

### 製品の概要

製品名	Anti-Rbm15 antibody
製品の詳細	Mouse polyclonal to Rbm15
由来種	Mouse
アプリケーション	適用あり: WB, ICC/IF
種交差性	交差種: Rat, Human
免疫原	Full length protein, corresponding to amino acids 1-544 of Human Rbm15 (AAI03661.1).
ポジティブ・コントロール	Rat brain tissue lysate, Rbm15 transfected 293T cell lysate ICC/IF: Hela cell

### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	Preservative: None Constituents: 1X PBS, pH 7.2
精製度	Protein A purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

### アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab92881** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
WB		
ICC/IF		

### 追加情報

ICC/IF: Use at a concentration of 10 µg/ml.  
WB: 1/500 - 1/1000. Predicted molecular weight: 107 or 61 kDa. (NCBI AAI03661.1: 61 kDa;

UniProt isoform 1: 107 kDa, isoform 2: 105 kDa and isoform 3: 106 kDa)


Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

## ターゲット情報


機能	May be implicated in HOX gene regulation.
関連疾患	A chromosomal aberration involving RBM15 may be a cause of acute megakaryoblastic leukemia. Translocation t(1;22)(p13;q13) with MKL1. Although both reciprocal fusion transcripts are detected in acute megakaryoblastic leukemia (AMKL, FAB-M7), the RBM15-MKL1 chimeric protein has all the putative functional domains encoded by each gene and is the candidate oncogene.
配列類似性	Belongs to the RRM Spen family. Contains 3 RRM (RNA recognition motif) domains. Contains 1 SPOC domain.
細胞内局在	Nucleus.

## 画像



Anti-Rbm15 antibody (ab92881) at 1/500 dilution + Rat brain tissue lysate at 50 µg

**Predicted band size:** 107 , 61 kDa




**All lanes :** Anti-Rbm15 antibody (ab92881) at 1/500 dilution

**Lane 1 :** Rbm15 transfected 293T cell lysate

**Lane 2 :** Non-transfected lysate

Lysates/proteins at 50 µg per lane.

**Predicted band size:** 107 , 61 kDa



ab92881, at 10 μg/ml, staining Rbm15 in HeLa cell by Immunofluorescence.

Immunocytochemistry/ Immunofluorescence - Anti-Rbm15 antibody (ab92881)

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors