

Product datasheet

Anti-c-Jun antibody ab105186

画像数 2

製品の概要

製品名	Anti-c-Jun antibody
製品の詳細	Rabbit polyclonal to c-Jun
由来種	Rabbit
アプリケーション	適用あり: WB, IP
種交差性	交差種: Mouse, Human 交差が予測される動物種: Sheep, Rabbit, Cow, Dog, Rhesus monkey, Gorilla, Orangutan, Elephant 
免疫原	Synthetic peptide corresponding to a region between residues 40 and 80 of Human c-Jun (NP_002219.1).
ポジティブ・コントロール	HeLa, 293T and NIH3T3 whole cell lysates.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	Preservative: 0.09% Sodium Azide Constituents: Tris citrate/phosphate, pH 7-8
精製度	Immunogen affinity purified
特記事項 (精製)	ab105186 was affinity purified using an epitope specific to c-Jun immobilized on solid support.
ポリモノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab105186** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


アプリケーション	Abreviews	特記事項
WB		1/2000 - 1/10000. Predicted molecular weight: 36 kDa.

アプリケーション	Abreviews	特記事項
IP		Use at 2-5 µg/mg of lysate.

ターゲット情報

機能	Transcription factor that recognizes and binds to the enhancer heptamer motif 5'-TGA[CG]TCA-3'. Promotes activity of NR5A1 when phosphorylated by HIPK3 leading to increased steroidogenic gene expression upon cAMP signaling pathway stimulation. Involved in activated KRAS-mediated transcriptional activation of USP28 in colorectal cancer (CRC) cells (PubMed:24623306). Binds to the USP28 promoter in colorectal cancer (CRC) cells (PubMed:24623306).
配列類似性	Belongs to the bZIP family. Jun subfamily. Contains 1 bZIP (basic-leucine zipper) domain.
翻訳後修飾	Ubiquitinated by the SCF(FBXW7), leading to its degradation. Ubiquitination takes place following phosphorylation, that promotes interaction with FBXW7. Phosphorylated by CaMK4 and PRKDC; phosphorylation enhances the transcriptional activity. Phosphorylated by HIPK3. Phosphorylated by DYRK2 at Ser-243; this primes the protein for subsequent phosphorylation by GSK3B at Thr-239. Phosphorylated at Thr-239, Ser-243 and Ser-249 by GSK3B; phosphorylation reduces its ability to bind DNA. Phosphorylated by PAK2 at Thr-2, Thr-8, Thr-89, Thr-93 and Thr-286 thereby promoting JUN-mediated cell proliferation and transformation. Phosphorylated by PLK3 following hypoxia or UV irradiation, leading to increase DNA-binding activity. Acetylated at Lys-271 by EP300.
細胞内局在	Nucleus.

画像



All lanes : Anti-c-Jun antibody (ab105186) at 0.1 µg/ml

Lane 1 : 293T whole cell lysate at 50 µg

Lane 2 : 293T whole cell lysate at 15 µg


Lane 3 : 293T whole cell lysate at 5 µg

Lane 4 : HeLa whole cell lysate at 50 µg

Lane 5 : NIH3T3 whole cell lysate at 50 µg

Predicted band size: 36 kDa

Exposure time: 3 minutes



Immunoprecipitation - Anti-c-Jun antibody
(ab105186)

Detection of c-Jun by Western Blot of
Immunoprecipitate.

ab105186 at 1 µg/ml staining c-Jun in HeLa
whole cell lysate immunoprecipitated using
ab105186 at 3 µg/mg lysate (1 mg/IP; 20% of
IP loaded/lane).

Detection: Chemiluminescence with exposure
time of 90 seconds.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors