

### Human RPE65 peptide ab99880

画像数 1

#### 製品の詳細

---

|             |                                  |
|-------------|----------------------------------|
| 製品名         | Human RPE65 peptide              |
| 精製度         | > 70 % HPLC.<br>70 - 90% by HPLC |
| アクセッション番号   | <b><u>Q16518</u></b>             |
| Animal free | No                               |
| 由来          | Synthetic                        |
| 生物種         | Human                            |

#### 特性

---

Our **Abpromise guarantee** covers the use of **ab99880** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

|          |   |
|----------|---|
| アプリケーション | Blocking  |
| 製品の状態    | Liquid  |
| 備考       | <ul style="list-style-type: none"><li>- First try to dissolve a small amount of peptide in either water or buffer. The more charged residues on a peptide, the more soluble it is in aqueous solutions.</li><li>- If the peptide doesn't dissolve try an organic solvent e.g. DMSO, then dilute using water or buffer.</li><li>- Consider that any solvent used must be compatible with your assay. If a peptide does not dissolve and you need to recover it, lyophilise to remove the solvent.</li><li>- Gentle warming and sonication can effectively aid peptide solubilisation. If the solution is cloudy or has gelled the peptide may be in suspension rather than solubilised.</li><li>- Peptides containing cysteine are easily oxidised, so should be prepared in solution just prior to use.</li></ul> |

#### 前処理および保存

---

|            |  |
|------------|--|
| 保存方法および安定性 | Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.<br><br>Information available upon request. |
|------------|--|

## 関連情報

|       |  |
|-------|--|
| 機能    | Plays important roles in the production of 11-cis retinal and in visual pigment regeneration. The soluble form binds vitamin A (all-trans-retinol), making it available for LRAT processing to all-trans-retinyl ester. The membrane form, palmitoylated by LRAT, binds all-trans-retinyl esters, making them available for IMH (isomerohydrolase) processing to all-cis-retinol. The soluble form is regenerated by transferring its palmitoyl groups onto 11-cis-retinol, a reaction catalyzed by LRAT. The enzymatic activity is linearly dependent of the expression levels and membrane association.  |
| 組織特異性 | Retinal pigment epithelium specific.   |
| 関連疾患  | Defects in RPE65 are the cause of Leber congenital amaurosis type 2 (LCA2) [MIM:204100]. LCA designates a clinically and genetically heterogeneous group of childhood retinal degenerations, generally inherited in an autosomal recessive manner. Affected infants have little or no retinal photoreceptor function as tested by electroretinography. LCA represents the most common genetic cause of congenital visual impairment in infants and children. Defects in RPE65 are the cause of retinitis pigmentosa type 20 (RP20) [MIM:613794]. RP leads to degeneration of retinal photoreceptor cells. Patients typically have night vision blindness and loss of midperipheral visual field. As their condition progresses, they lose their far peripheral visual field and eventually central vision as well. RP20 inheritance is autosomal dominant. |
| 配列類似性 | Belongs to the carotenoid oxygenase family.  |
| 翻訳後修飾 | Palmitoylation by LRAT regulates ligand binding specificity; the palmitoylated form (membrane form) specifically binds all-trans-retinyl-palmitate, while the soluble unpalmitoylated form binds all-trans-retinol (vitamin A).  |
| 細胞内局在 | Cytoplasm. Cell membrane. Attached to the membrane by a lipid anchor when palmitoylated (membrane form), soluble when unpalmitoylated.   |

## 画像

**Choose the best for your experiment from thousands of proteins and peptides**

-  Reinforce the validity of your results with **protein controls**
-  Validate specific, reliable reagents with **blocking peptides**
-  Keep working on targets without specific antibodies with **fusion-tagged proteins**
-  Get consistent, reproducible results with premium **bioactive proteins**

Human RPE65 peptide (ab99880)

To learn more about our protein and peptide range click [here](#).

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

**Our Abpromise to you: Quality guaranteed and expert technical support**

- 
- Replacement or refund for products not performing as stated on the datasheet
  - Valid for 12 months from date of delivery
  - Response to your inquiry within 24 hours
  
  - We provide support in Chinese, English, French, German, Japanese and Spanish
  - Extensive multi-media technical resources to help you
  - We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors