abcam

Product datasheet

Y-27632 dihydrochloride (mM/ml), Rho kinase inhibitor ab144494

13 References 画像数 2

製品の概要

製品名 Y-27632 dihydrochloride (mM/ml), Rho kinase inhibitor

製品の詳細 Selective Rho kinase inhibitor. 1 ml water soluble pack.

生理活性の詳細 Selective Rho kinase inhibitor.

Soluble in 1 ml water to give specified mM/ml concentration. Find out more.

精製度 > 99%

CAS 番号 129830-38-2

構造式

N O CH₃

2HCI NH₂

製品の特性

体系名 (R)-(+)-trans-4-(1-Aminoethyl)-N-(4-pyridyl)cyclohexanecarboxamide dihydrochloride

分子量 320.26

分子式 C₁₄H₂₁N₃O.2HCl

PubChem 登録番号 9901617

保存方法 Store at +4°C. Store under desiccating conditions. The product can be stored for up to 12

months.

溶解性 Soluble in 1 of ml water to give specified mM/ml concentration

使用に関する注意 This product is supplied in one (or more) pack size which is freeze dried. Therefore the contents

may not be readily visible, as they can coat the bottom or walls of the vial. Please see our FAQs

and information page for more details on handling.

Wherever possible, you should prepare and use solutions on the same day. However, if you need to make up stock solutions in advance, we recommend that you store the solution as aliquots in tightly sealed vials at -20°C. Generally, these will be useable for up to one month. Before use, and

prior to opening the vial we recommend that you allow your product to equilibrate to room

temperature for at least 1 hour.

Refer to SDS for further information.

1

Need more advice on solubility, usage and handling? Please visit our <u>frequently asked</u> <u>questions (FAQ) page</u> for more details.


SMILES 線形表記

由来

CI.CI.O=C(Nc1ccncc1)[C@@H]2CC[C@H](CC2)[C@@H](C)N


Synthetic

画像



2D chemical structure image of ab144494, Y-27632 dihydrochloride (mM/ml), Rho kinase inhibitor

Chemical Structure - Y-27632 dihydrochloride (mM/ml), Rho kinase inhibitor (ab144494)



Functional Studies - Y-27632 dihydrochloride (mM/ml), Rho kinase inhibitor (ab144494)

Takazawa et al PLoS One. 2012;7(7):e40154. doi: 10.1371/journal.pone.0040154. Epub 2012 Jul 3. Fig 2. Reproduced under the Creative Commons license http://creativecommons.org/licenses/by/4.0/

Representative morphology and membrane potential responses to current step injection in hESMNs at 3 different times *in vitro*.

Imaging of cells fixed after patch-clamp recordings indicate that recorded cells express the *Hb9*::GFP reporter transgene (A-C,E,G,and I). Voltage responses and imaging in the same rows are taken from same neurons. The neurons for A-C are same as that shown in F and G. D,F,H show examples of voltage responses to current steps recorded from 3 neurons current-clamped at –58 mV, –60 mV, and –55 mV, respectively. Bottom traces in D,F, and H show injected currents. Scale bars in images are 50 µm.

Only part of full image panel shown.

Cells were pre-treated with ab144494.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES, NOT FOR USE IN HUMANS"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- Abcam biochemicals are novel compounds and we have not tested their biological activity in house. Please use the literature to identify how to use these products effectively. If you require further assistance please contact the scientific support team