abcam

Product datasheet

Z-D(OMe)E(OMe)VD(OMe)-FMK, Cell permeable caspase-3 inhibitor ab120488

2 References 画像数 2

製品の概要

製品名 Z-D(OMe)E(OMe)VD(OMe)-FMK, Cell permeable caspase-3 inhibitor

製品の詳細 Cell permeable caspase-3 inhibitor

生理活性の詳細 A potent, cell-permeable, and irreversible inhibitor of caspase-3. Also inhibits caspase-6,

caspase-7, caspase-8, and caspase-10. Once in the cell, endogenous esterase activity hydrolyzes the methyl groups to form the biologically active form. Therefore, when using with isolated, purified or recombinant caspase enzymes, pre-treatment with an esterase is required.

CAS 番号 210344-95-9

構造式 Z-Asp(OMe)-Glu(OMe)-Val-Asp(OMe)-FMK

製品の特性

分子量 668.67

分子式 C₃₀H₄₁FN₄O₁₂

配列 DEVD (Modifications: N-terminal benzyloxycarbonyl; C-terminal FMK; Asp-1 = Asp(OMe); Glu-2 =

Glu(OMe); Asp-4 = Asp(OMe))

PubChem 登録番号 16760394

保存方法 Store at -20°C. Store under desiccating conditions. The product can be stored for up to 12

months.

溶解性 Soluble in DMSO to 20 mM

使用に関する注意 Wherever possible, you should prepare and use solutions on the same day. However, if you need

to make up stock solutions in advance, we recommend that you store the solution as aliquots in tightly sealed vials at -20°C. Generally, these will be useable for up to one week. Before use, and

prior to opening the vial we recommend that you allow your product to equilibrate to room

temperature for at least 1 hour.

Need more advice on solubility, usage and handling? Please visit our frequently asked

questions (FAQ) page for more details.

SMILES 線形表記 FCC(=O)[C@H](CC(=O)OC)NC(=O)[C@@H](NC(=O)[C@H](CCC(=O)OC)NC(=O)[C@H]

(CC(=O)OC)NC(=O)OCc1ccccc1)C(C)C

1

アプリケーション


The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab120488の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|--------------------|-----------|--|
| Functional Studies | | Use at an assay dependent concentration. |

画像



Chemical Structure - Z-D(OMe)E(OMe)VD(OMe)-FMK, Cell permeable caspase-3 inhibitor (ab120488) 2D chemical structure image of ab120488, Z-D(OMe)E(OMe)VD(OMe)-FMK, Cell permeable caspase-3 inhibitor



Functional Studies - Z-D(OMe)E(OMe)VD(OMe)-FMK, Cell permeable caspase-3 inhibitor (ab120488)

HeLa cells were incubated at 37 °C for 1h with vehicle control (0 μ M) and different concentrations of Z-D(OMe)E(OMe)VD(OMe)-FMK (ab120488). After this incubation 10 μ M of camptothecin (ab120115) was added to all samples and the cells were incubated for further 24h. Increased expression of full length PARP (ab37722) in camptothecin induced apoptotic HeLA cells correlates with an increase in Z-D(OMe)E(OMe)VD(OMe)-FMK concentration, as described in literature.

Whole cell lysates were prepared with RIPA buffer (containing protease inhibitors and sodium orthovanadate), 10 μ g of each were loaded on the gel and the WB was run under reducing conditions. After transfer the membrane was blocked for an hour using 5% BSA before being incubated with <u>ab37722</u> at 1 μ g/ml and <u>ab8227</u> at 1 μ g/ml overnight at 4°C. Antibody binding was detected using an anti-rabbit antibody conjugated to HRP (<u>ab97051</u>

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES, NOT FOR USE IN HUMANS"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

- · Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- Abcam biochemicals are novel compounds and we have not tested their biological activity in house. Please use the literature to identify how to use these products effectively. If you require further assistance please contact the scientific support team