abcam

Product datasheet

Cytokeratin 4 overexpression 293T lysate (whole cell) ab94137

画像数 2

医薬用外劇物

製品の概要

製品名 Cytokeratin 4 overexpression 293T lysate (whole cell)

特記事項 ab94137 is a 293T cell transfected lysate in which Human Cytokeratin 4 has been transiently over-

expressed using a pCMV-Cytokeratin 4 plasmid. The lysate is provided in 1X Sample Buffer.

アプリケーション 適用あり: WB

製品の特性

Mycoplasma free Yes

製品の状態 Liquid

保存方法 Shipped on dry ice. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

ארע"א Constituents: 0.01% Bromophenol blue, 2.3% Beta mercaptoethanol, 2% Sodium lauryl sulfate,

0.788% Tris HCI, 10% Glycerol (glycerin, glycerine)

背景 Tissue specificity: Detected in the suprabasal layer of the stratified epithelium of the esophagus, exocervix, vagina, mouth and lingual mucosa, and in cells and cell clusters in the mucosa and

serous gland ducts of the esophageal submucosa (at protein level). Expressed widely in the exocervix and esophageal epithelium, with lowest levels detected in the basal cell layer. Disease: Defects in KRT4 are a cause of white sponge nevus of cannon (WSN) [MIM:193900]. WSN is a rare autosomal dominant disorder which predominantly affects non-cornified stratified squamous epithelia. Clinically, it is characterized by the presence of soft, white, and spongy plaques in the oral mucosa. The characteristic histopathologic features are epithelial thickening, parakeratosis, and vacuolization of the suprabasal layer of oral epithelial keratinocytes. Less frequently the mucous membranes of the nose, esophagus, genitalia and rectum are involved. Similarity:

Belongs to the intermediate filament family.


アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab94137の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


1

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent dilution.

画像



ab94137 at 15µg/lane on an SDS-PAGE gel.



lysate (whole cell) (ab94137)

All lanes: Anti-Cytokeratin 4 antibody (ab55392) at 1/500 dilution

Lane 1 : Cytokeratin 4 overexpression 293T lysate (whole cell) (ab94137)

Lane 2: 293T non-transfected lysate

Lysates/proteins at 25 µg per lane.

Secondary

All lanes : Goat Anti-mouse IgG (H and L) HRP conjugated at 1/2500 dilution

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- · Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors