

Human PTGES3 (p23) knockout HEK-293T cell lysate ab258151

画像数 3

製品の概要

製品名	Human PTGES3 (p23) knockout HEK-293T cell lysate
製品の概要	Knockout cell lysate achieved by CRISPR/Cas9.
Parental Cell Line	HEK293T
Organism	Human
Mutation description	Knockout achieved by using CRISPR/Cas9, 10 bp insertion in exon 2 and 1 bp insertion in exon 2.
Passage number	<20
Knockout validation	Sanger Sequencing, Western Blot (WB)
Reconstitution notes	To use as WB control, resuspend the lyophilizate in 50 µL of LDS* Sample Buffer to have a final concentration of 2 mg/ml. For reducing conditions, we recommend a final concentration of 0.1 M DTT. <i>*Usage of SDS sample buffer is not recommended with these lyophilized lysates.</i>

特記事項

Lysate preparation: Our lysates are made using RIPA buffer to which we add a protease inhibitor cocktail and phosphatase inhibitor cocktail (ratio: 300:100:10). *This means that the protein of interest is denatured.* If you require a native form of the protein please use the live cell version - found [here](#). Please refer to our lysis protocol for further details on how our lysates are prepared.

User storage instructions: Lyophilizate may be stored at 4°C. After reconstitution, store at -20°C for short-term storage or -80°C for long-term storage.

Access thousands of knockout cell lysates, generated from commonly used cancer cell lines.

[See here for more information on knockout cell lysates.](#)

Abcam has not and does not intend to apply for the REACH Authorisation of customers' uses of products that contain European Authorisation list (Annex XIV) substances.

It is the responsibility of our customers to check the necessity of application of REACH Authorisation, and any other relevant authorisations, for their intended uses.

This product is subject to limited use licenses from The Broad Institute, ERS Genomics Limited and Sigma-Aldrich Co. LLC, and is developed with patented technology. For full details of the licenses and patents please refer to our [limited use license](#) and [patent pages](#).

アプリケーション

適用あり: WB

製品の特性

保存方法 Store at -80°C. Please refer to protocols.

内容	1 kit
ab260481 - Human PTGES3 knockout HEK293T cell lysate	1 x 100µg
ab255553 - Human wild-type HEK293T cell lysate	1 x 100µg

Cell type epithelial

STR Analysis Amelogenin X D5S818: 8, 9 D13S317: 12, 14 D7S820: 11 D16S539: 9, 13 vWA: 16, 19 TH01: 7, 9.3 TPOX: 11 CSF1PO: 11, 12

ターゲット情報

機能 Molecular chaperone that localizes to genomic response elements in a hormone-dependent manner and disrupts receptor-mediated transcriptional activation, by promoting disassembly of transcriptional regulatory complexes.

パスウェイ Lipid metabolism; prostaglandin biosynthesis.

配列類似性 Belongs to the p23/wos2 family.
Contains 1 CS domain.


細胞内局在 Cytoplasm.

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab258151の使用に適用されず
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration. Predicted molecular weight: 19 kDa.

画像



Western blot - Human PTGES3 (p23) knockout
HEK293T cell lysate (ab258151)

Lane 1: Wild-type HEK-293T (Human epithelial cell line from embryonic kidney transformed with large T antigen) whole cell lysate (20 ug)

Lane 2: PTGES3 knockout HEK-293T (Human epithelial cell line from embryonic kidney transformed with large T antigen) whole cell lysate (20 ug)

Lane 3: Jurkat (Human T cell leukemia cell line from peripheral blood) whole cell lysate (20 ug)

Lane 4: HeLa (Human epithelial cell line from cervix adenocarcinoma) whole cell lysate (20 ug)

ab92503 was shown to specifically react with p23 in wild-type HEK-293T cells. Loss of signal was observed when knockout cell line **ab266791** (knockout cell lysate ab258151) was used. Wild-type and p23 knockout samples were subjected to SDS-PAGE.

ab92503 and Anti-GAPDH antibody [6C5] - Loading Control (**ab8245**) were incubated overnight at 4°C at 1 in 1000 dilution and 1 in 20000 dilution respectively. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed (**ab216773**) and Goat anti-Mouse IgG H&L (IRDye® 680RD) preadsorbed (**ab216776**) secondary antibodies at 1 in 20000 dilution for 1 hour at room temperature before imaging.

```

Mut  TTATCCTTTTGTAGGCAGCCTGCTTCTGCAAAAGTGGTACGATCGAAGGGACTATGTCTT
      |||
WT   TTATCCTTTTGTAGGCAGCCTGCTTCTGCAAA GTGGTACGATCGAAGGGACTATGTCTT
  
```

Sanger Sequencing - Human PTGES3 knockout
HEK293T cell lysate (ab258151)

Allele-1: 1 bp insertion in exon 2

```

Mut  TTATCCTTTTGTAGGCAGCCTGCTTCTGCAAAAGTGGTACAAGTGGTACGATCGAAGGGA
      |||
WT   TTATCCTTTTGTAGGCAGCCTGCTTCTGCAAA GTGGTACGATCGAAGGGA
  
```

Sanger Sequencing - Human PTGES3 knockout
HEK293T cell lysate (ab258151)

Allele-2: 10 bp insertion in exon 2

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors