abcam

Product datasheet

Anti-6X His tag® antibody ab14923

★★★★★ 1 Abreviews 15 References 画像数 1

製品の概要

製品名 Anti-6X His tag® antibody

製品の詳細 Rabbit polyclonal to 6X His tag®

由来種 Rabbit

特異性 ab14923 reacts to recombinant proteins containing the 6X His tag® fused to either the amino or

carboxy terminus in transfected or transformed cells.

アプリケーション **適用あり**: WB

種交差性 交差種: Species independent

免疫原 Synthetic peptide corresponding to 6X His tag® conjugated to keyhole limpet haemocyanin.

(Peptide available as ab14941, ab14943)

ポジティブ・コントロール E. coli Positive Control (Escherichia coli) Whole Cell Lysate - expressing 6X His tag protein,

ab2431.

特記事項 HIS-TAG® is a trademark of EMD Biosciences, Inc.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or

contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle. Store In the Dark.

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1mg/ml may have BSA added as a stabilising agent. If you would like information about the formulation of a specific lot, please contact our

scientific support team who will be happy to help.

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ lgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab14923の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB	★★★ ☆☆ <u>(1)</u>	Use a concentration of 0.5 µg/ml.

ターゲット情報


関連性 The H-H-H-H motif is used as a tag on many recombinant proteins to facilitate purification.

His-tags can be fused to the amino- or carboxy- termini of proteins in transfected or transformed

cells.

細胞内局在 Depends upon the localization of the parent protein tagged with hexahistidine.

画像



Anti-6X His tag® antibody (ab14923) at $0.6 \mu g/ml + E$. coli Positive Control (Escherichia coli) Whole Cell Lysate - expressing 6X His tag protein (ab2431) at $10 \mu g$

Secondary

Alexa Fluor Goat polyclonal to Rabbit IgG at 1/10000 dilution

Performed under reducing conditions.

Observed band size: 17 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors