abcam

Product datasheet

Anti-AACS antibody ab237802

画像数3

製品の概要

製品名 Anti-AACS antibody

製品の詳細 Rabbit polyclonal to AACS

由来種 Rabbit

アプリケーション 適用あり: WB, IP, IHC-P

種交差性 交差種: Human

免疫原 Recombinant fragment corresponding to Human AACS aa 435-598.

Database link: Q86V21

ポジティブ・コントロール

特記事項

WB: HEK-293 whole cell lysate. IHC-P: Human kidney tissue. IP: HEK-293 whole cell lysate.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

パッファー pH: 7.40

Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol (glycerin, glycerine), PBS

精製度 Protein G purified

特記事項(精製) Purity greater than 95%.

ポリ/モノ ポリクローナル

アイソタイプ lgG

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab237802の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
WB		1/500 - 1/5000. Predicted molecular weight: 75 kDa.
IP		1/200 - 1/2000.
IHC-P		1/20 - 1/200.

ターゲット情報

細胞内局在

Cytoplasmic

画像




Anti-AACS antibody (ab237802) at 1/500 dilution + HEK-293 (human epithelial cell line from embryonic kidney) whole cell lysate

Secondary


Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 75 kDa



Paraffin-embedded human kidney tissue stained for AACS using ab237802 at 1/100 dilution in immunohistochemical analysis.

Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-AACS antibody (ab237802)



AACS was immunoprecipitated from 500 μ g HEK-293 (human epithelial cell line from embryonic kidney whole cell lysate with ab237802 at 1/200 dilution.

Lane 1: Rabbit control IgG IP in HEK-293 whole cell lysate.

Lane 2: ab237802 IP in HEK-293 whole cell lysate.

Lane 3: HEK-293 whole cell lysate 10 µg (Input).

For western blotting, an HRP-conjugated Protein G antibody was used as the secondary antibody at 1/2000 dilution.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors