


# Anti-Aconitase 2 antibody [EPR8283(B)] - BSA and Azide free ab248303

KO 評価済 リコンビナント RabMAb

画像数 5

### 製品の概要

製品名	Anti-Aconitase 2 antibody [EPR8283(B)] - BSA and Azide free
製品の詳細	Rabbit monoclonal [EPR8283(B)] to Aconitase 2 - BSA and Azide free
由来種	Rabbit
アプリケーション	<b>適用あり:</b> IHC-P, WB <b>適用なし:</b> IP
種交差性	<b>交差種:</b> Mouse, Human <b>交差が予測される動物種:</b> Rat 
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
特記事項	<p>ab248303 is the carrier-free version of <a href="#">ab129105</a>.</p> <p>Our <b>carrier-free</b> antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.</p> <p>This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.</p> <p>Use our <b>conjugation kits</b> for antibody conjugates that are ready-to-use in as little as 20 minutes with &lt;1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.</p> <p>This product is compatible with the Maxpar<sup>®</sup> Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar<sup>®</sup> is a trademark of Fluidigm Canada Inc.</p> <p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none"> <li>- High batch-to-batch consistency and reproducibility</li> <li>- Improved sensitivity and specificity</li> <li>- Long-term security of supply</li> <li>- Animal-free production</li> </ul> <p>For more information <a href="#">see here</a>.</p> <p>Our RabMAb<sup>®</sup> technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <a href="#">RabMAb<sup>®</sup> patents</a>.</p>

## 製品の特性

### 製品の状態


Liquid

### 保存方法

Shipped at 4°C. Store at +4°C. Do Not Freeze.

### 解離定数 ( $K_D$ 値)

$K_D = 2.60 \times 10^{-10}$  M



### バッファー

pH: 7.2

Constituent: PBS

### キャリア・フリー

はい

### 精製度

Protein A purified

### ポリ/モノ

モノクローナル

### クローン名

EPR8283(B)

### アイソタイプ

IgG

## アプリケーション

### The Abpromise guarantee

**Abpromise保証は、次のテスト済みアプリケーションにおけるab248303の使用に適用されます**

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.
WB		Use at an assay dependent concentration. Detects a band of approximately 85 kDa (predicted molecular weight: 85 kDa).

### 追加情報

Is unsuitable for IP.

## ターゲット情報

### 機能

Catalyzes the isomerization of citrate to isocitrate via cis-aconitate.

### パスウェイ

Carbohydrate metabolism; tricarboxylic acid cycle; isocitrate from oxaloacetate: step 2/2.


### 配列類似性

Belongs to the aconitase/IPM isomerase family.

### 細胞内局在

Mitochondrion.

## 画像



Western blot - Anti-Aconitase 2 antibody  
[EPR8283(B)] - BSA and Azide free (ab248303)

**All lanes :** Anti-Aconitase 2 antibody [EPR8283(B)] ([ab129105](#)) at 1/1000 dilution

**All lanes :** Wild-type HAP1 whole cell lysate

Lysates/proteins at 20 µg per lane.

**Predicted band size:** 85 kDa


**Observed band size:** 85 kDa

This data was developed using [ab129105](#), the same antibody clone in a different buffer formulation.

**Lanes 1 - 2:** Merged signal (red and green). Green - [ab129105](#) observed at 85 kDa. Red - loading control, [ab9484](#), observed at 37 kDa.

[ab129105](#) was shown to specifically react with Aconitase 2 in wild-type HAP1 cells as signal was lost in Hela knockout cells. Wild-type and Hela knockout samples were subjected to SDS-PAGE.

[ab129105](#) and [ab9484](#) (Mouse anti-GAPDH loading control) were incubated overnight at 4°C at 1/1000 dilution and 1/20000 dilution respectively. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye<sup>®</sup> 800CW) preabsorbed [ab216773](#) and Goat anti-Mouse IgG H&L (IRDye<sup>®</sup> 680RD) preabsorbed [ab216776](#) secondary antibodies at 1/20000 dilution for 1 hour at room temperature before imaging.



Western blot - Anti-Aconitase 2 antibody  
[EPR8283(B)] - BSA and Azide free (ab248303)

**All lanes :** Anti-Aconitase 2 antibody [EPR8283(B)] ([ab129105](#)) at 1/10000 dilution

**Lane 1 :** HeLa cell lysate

**Lane 2 :** K562 cell lysate

**Lane 3 :** Jurkat cell lysate

**Lane 4 :** 293T cell lysate


Lysates/proteins at 10 µg per lane.

**Secondary**

**All lanes :** Goat anti-Rabbit HRP at 1/2000 dilution


**Predicted band size:** 85 kDa

This data was developed using [ab129105](#), the same antibody clone in a different buffer formulation.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Aconitase 2 antibody [EPR8283(B)] - BSA and Azide free (ab248303)

This data was developed using [ab129105](#), the same antibody clone in a different buffer formulation. [ab129105](#), at 1/100 dilution, staining Aconitase 2 in Paraffin-embedded Human kidney tissue by immunohistochemistry. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.



Ox-LD Scanning - Anti-Aconitase 2 antibody [EPR8283(B)] - BSA and Azide free (ab248303)

This data was developed using [ab129105](#), the same antibody clone in a different buffer formulation. Equilibrium dissociation constant ( $K_D$ )

Learn more about  $K_D$

[Click here to learn more about  \$K\_D\$](#)

### Why choose a recombinant antibody?



**Research with confidence**  
Consistent and reproducible results



**Long-term and scalable supply**  
Recombinant technology



**Success from the first experiment**  
Confirmed specificity



**Ethical standards compliant**  
Animal-free production

Anti-Aconitase 2 antibody [EPR8283(B)] - BSA and Azide free (ab248303)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors