abcam

Product datasheet

Alexa Fluor® 488 Anti-BRD2 antibody [EPR7642] ab197865

KO 評価済 リコンピナント

עלשעבע RabMAb

画像数4

製品の概要 製品名 Alexa Fluor® 488 Anti-BRD2 antibody [EPR7642] 製品の詳細 Alexa Fluor® 488 Rabbit monoclonal [EPR7642] to BRD2 由来種 Rabbit Alexa Fluor® 488. Ex: 495nm, Em: 519nm 標識 アプリケーション 適用あり: ICC/IF, Flow Cyt (Intra) 種交差性 交差種: Human 免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers. ポジティブ・コントロール ICC/IF: HeLa and wildtype HAP1 cells. Flow Cyt (intra): HeLa cells. 特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including: - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information see here. Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents. Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact

製品の特性	
製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle. Store In the Dark.
バッファー	pH: 7.40 Preservative: 0.02% Sodium azide Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS
精製度	Protein A purified
ポリ/モノ	モノクローナル
クローン名	EPR7642
アイソタイプ	lgG


アプリケーション

The Abpromise guaranteeAbpromise保証は、次のテスト済みアプリケーションにおけるab197865の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		1/1000. This product gave a positive signal in HeLa cells fixed with 4% formaldehyde (10 min).
Flow Cyt (Intra)		1/50.

ターゲット情報


機能	May play a role in spermatogenesis or folliculogenesis.
配列類似性	Contains 2 bromo domains. Contains 1 ET domain.
ドメイン	One bromodomain is sufficient for a partial interaction with histone H4 acetylated at 'Lys-13'.
細胞内局在	Nucleus.




ab197865 staining BRD2 in wild-type HAP1 cells (top panel) and BRD2 knockout HAP1 cells (bottom panel). The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated with ab197865 at 1/500 dilution and **ab195889** at 1/250 overnight at +4°C (shown in pseudocolour red). Nuclear DNA was labelled in blue with DAPI.

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).


Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-BRD2 antibody [EPR7642] (ab197865)



Flow Cytometry (Intracellular) - Alexa Fluor® 488 Anti-BRD2 antibody [EPR7642] (ab197865) Overlay histogram showing HeLa cells stained with ab197865 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab197865, 1/50 dilution) for 30 min at 22°C. Isotype control antibody (black line) was rabbit monoclonal IgG [EPR25A] Alexa Fluor® 488 (**ab199091**) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control. Acquisition of >5,000 events were collected using a 20mW Argon ion laser (488nm) and 525/30 bandpass filter.



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-BRD2 antibody [EPR7642] (ab197865)



ab197865 staining BRD2 in HeLa cells. The cells were fixed with 4% formaldehyde (10 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab197865 at 1/1000 dilution (shown in green) and **ab195889**, Mouse monoclonal to alpha Tubulin (Alexa Fluor[®] 594), at 1/250 dilution (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.co.jp/abpromise</u> or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors