abcam

Product datasheet

Alexa Fluor® 488 Anti-Oct4 antibody [EPR17980] ab208907

יעלאעבע RabMAb

画像数 2

製品の概要

製品名 Alexa Fluor® 488 Anti-Oct4 antibody [EPR17980]

製品の詳細 Alexa Fluor® 488 Rabbit monoclonal [EPR17980] to Oct4

由来種 Rabbit

標識 Alexa Fluor® 488. Ex: 495nm, Em: 519nm

アプリケーション 適用あり: ICC/IF 種交差性 交差種: Mouse

交差が予測される動物種: Human 🔷

Recombinant fragment within Human Oct4 aa 1-150. The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please contact our Scientific Support

Run BLAST with

team to discuss your requirements.

Database link: Q01860

ICC/IF: mouse Embryonic Stem cells

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

免疫原

ポジティブ・コントロール 特記事項

Run BLAST with

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 1% BSA, 30% Glycerol (glycerin, glycerine), PBS

精製度 Protein A purified

ポリ(モノ モノクローナル **ウローン名** EPR17980

アイソタイプ IgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab208907の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		1/100. This product gave a positive signal in mouse Embryonic Stem cells fixed with 4% formaldehyde (10 min) and 100% methanol (5 min)

ターゲット情報

機能 Transcription factor that binds to the octamer motif (5'-ATTTGCAT-3'). Forms a trimeric complex with SOX2 on DNA and controls the expression of a number of genes involved in embryonic development such as YES1, FGF4, UTF1 and ZFP206. Critical for early embryogenesis and for embryonic stem cell pluripotency.

图象 Expressed in developing brain. Highest levels found in specific cell layers of the cortex, the olfactory bulb, the hippocampus and the cerebellum. Low levels of expression in adult tissues.

图象 Engl 文字 Class-5 subfamily.

Contains 1 homeobox DNA-binding domain.

Contains 1 POU-specific domain.

発生段階 Highly expressed in undifferentiated embryonic stem cells and expression decreases gradually

after embryoid body (EB) formation.

ドメイン The POU-specific domain mediates interaction with PKM2.


翻訳後修飾 Sumoylation enhances the protein stability, DNA binding and transactivation activity. Sumoylation

is required for enhanced YES1 expression.

 $Ubiquitin atted; undergoes \verb|'Lys-63'-| linked| polyubiquitin ation| by WWP2| leading| to| proteasomal| linked| to be a simple of the proteasomal of the proteasoma$

degradation.

細胞内局在 Nucleus. Expressed in a diffuse and slightly punctuate pattern.



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-Oct4 antibody [EPR17980] (ab208907)

ab208907 staining Oct4 in mouse Embryonic Stem cells. The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab208907 at 1/100 dilution (shown in green) and ab195889, Mouse monoclonal to alpha Tubulin (Alexa Fluor® 594), at 1/250 dilution (pseudocolored in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

This product also gave a positive signal under the same testing conditions in mouse Embryonic Stem cells fixed with 4% formaldehyde (10 min).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors