abcam

Product datasheet

Alexa Fluor® 594 Anti-nNOS (neuronal) antibody [EP1855Y] ab198516

יובעדער RabMAb

画像数 2

製品の概要

免疫原

製品名 Alexa Fluor® 594 Anti-nNOS (neuronal) antibody [EP1855Y]

製品の詳細 Alexa Fluor® 594 Rabbit monoclonal [EP1855Y] to nNOS (neuronal)

由来種 Rabbit

標識 Alexa Fluor® 594. Ex: 590nm, Em: 617nm

アプリケーション 適用あり: ICC/IF 種交差性 交差種: Rat

交差が予測される動物種: Mouse, Human 🔷

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール ICC/IF: PC12 cells.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit 特記事項 monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

> Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc., a Thermo Fisher Scientific Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

精製度 Protein A purified

ポリ/モノ モノクローナル

クローン名 EP1855Y

アイソタイプ IgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab198516の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		1/100.

ターゲット情報

機能 Produces nitric oxide (NO) which is a messenger molecule with diverse functions throughout the

body. In the brain and peripheral nervous system, NO displays many properties of a

neurotransmitter. Probably has nitrosylase activity and mediates cysteine S-nitrosylation of

cytoplasmic target proteins such SRR.

組織特異性 Isoform 1 is ubiquitously expressed: detected in skeletal muscle and brain, also in testis, lung and

kidney, and at low levels in heart, adrenal gland and retina. Not detected in the platelets. Isoform 3 is expressed only in testis. Isoform 4 is detected in testis, skeletal muscle, lung, and kidney, at low

levels in the brain, but not in the heart and adrenal gland.

配列類似性 Belongs to the NOS family.

Contains 1 FAD-binding FR-type domain.

Contains 1 flavodoxin-like domain.
Contains 1 PDZ (DHR) domain.

ドメイン The PDZ domain in the N-terminal part of the neuronal isoform participates in protein-protein

interaction, and is responsible for targeting nNos to synaptic membranes in muscles. Mediates

interaction with VAC14.


翻訳後修飾 Ubiquitinated; mediated by STUB1/CHIP in the presence of Hsp70 and Hsp40 (in vitro).

細胞内局在 Cell membrane > sarcolemma. Cell projection > dendritic spine. In skeletal muscle, it is localized

beneath the sarcolemma of fast-twitch muscle fiber by associating with the dystrophin


glycoprotein complex. In neurons, enriched in dendritic spines.

画像



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 594 Anti-nNOS (neuronal) antibody [EP1855Y] (ab198516) ab198516 staining nNOS in PC12 cells. The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1%PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab198516 at 1/100 dilution (shown in red) and ab195887, Mouse monoclonal to alpha Tubulin (Alexa Fluor® 488), at $2\mu g/ml$ (shown in green). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise,

please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors