abcam

Product datasheet

Alexa Fluor® 647 Anti-Cytokeratin 7 antibody [EPR1619Y] -Cytoskeleton Marker ab192077

יעלאעבע RabMAb

1 References 画像数3

製品の概要

製品名

製品の詳細

由来種

標識

アプリケーション

種交差性

免疫原

ポジティブ・コントロール

特記事項

Alexa Fluor® 647 Anti-Cytokeratin 7 antibody [EPR1619Y] - Cytoskeleton Marker

Alexa Fluor® 647 Rabbit monoclonal [EPR1619Y] to Cytokeratin 7 - Cytoskeleton Marker

Rabbit

Alexa Fluor® 647. Ex: 652nm, Em: 668nm

適用あり: ICC/IF, Flow Cyt (Intra)

交差種: Human

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ICC/IF: T47D cells. Flow Cyt (intra): T47D

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.


製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Stable for 12 months at -20°C. Store In the Dark.

解離定数(K_D 値) $K_D = 2.10 \times 10^{-10} M$



Learn more about K_D

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

精製度 Protein A purified

ポリ/モノ モノクローナル **ウローン名** EPR1619Y

アイソタイプ lgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab192077の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		1/100.
Flow Cyt (Intra)		1/500. ab199093 - Rabbit monoclonal lgG (Alexa Fluor® 647), is suitable for use as an isotype control with this antibody.

ターゲット情報

機能 Blocks interferon-dependent interphase and stimulates DNA synthesis in cells. Involved in the

translational regulation of the human papillomavirus type 16 E7 mRNA (HPV16 E7).

組織特異性 Expressed in cultured epidermal, bronchial and mesothelial cells but absent in colon, ectocervix


and liver. Observed throughout the glandular cells in the junction between stomach and esophagus

but is absent in the esophagus.

配列類似性 Belongs to the intermediate filament family.

翻訳後修飾 Arg-20 is dimethylated, probably to asymmetric dimethylarginine.

細胞内局在 Cytoplasm.




Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-Cytokeratin 7 antibody [EPR1619Y] - Cytoskeleton Marker (ab192077)

ab192077 staining Cytokeratin 7 in T47D cells. The cells were fixed with 4% formaldehyde (10 min), permeabilised in 0.1% Triton X-100 for 5 minutes and then blocked in 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated with ab192077 at a working dilution of 1 in 100 (shown in red) and ab195887, Mouse monoclonal [DM1A] to alpha Tubulin (Alexa Fluor[®] 488, shown in green) at 2µg/ml overnight at +4°C. Nuclear DNA was labelled in blue with DAPI.

This product gave a positive signal in 100% methanol (5 min) fixed T47D cells under the same testing conditions.


Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Flow Cytometry (Intracellular) - Alexa Fluor® 647
Anti-Cytokeratin 7 antibody [EPR1619Y] Cytoskeleton Marker (ab192077)

Overlay histogram showing T47D cells stained with ab192077 (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab192077, 1/500 dilution) for 30 min at 22°C. Isotype control antibody (black line) was rabbit IgG (monoclonal) Alexa Fluor® 647 used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control.

Acquisition of >5,000 events were collected using a solid-state 25mW red diode laser (635 nm) and 675/30 bandpass filter.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors