abcam

Product datasheet

Alexa Fluor® 647 Anti-mH2A1 antibody [EPR9359(2)] ab208879



ועלטעבעו RabMAb

画像数3

製品の概要

製品名 Alexa Fluor® 647 Anti-mH2A1 antibody [EPR9359(2)]

製品の詳細 Alexa Fluor® 647 Rabbit monoclonal [EPR9359(2)] to mH2A1

由来種 Rabbit

Alexa Fluor® 647. Ex: 652nm, Em: 668nm

アプリケーション 適用あり: ICC/IF 交差種: Human

交差が予測される動物種: Mouse, Rat 🔷

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ICC/IF: HepG2 cells, HAP1-WT and HAP1-H2AFY knockout cells

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

標識

種交差性

免疫原

ポジティブ・コントロール

特記事項

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 1% BSA, 30% Glycerol (glycerin, glycerine)

精製度 Protein A purified

ポリ/モノ モノクローナル **クローン名** EPR9359(2)

アイソタイプ lgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab208879の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		1/100 - 1/500. This product gave a positive signal in cells fixed with 4% formaldehyde (10 min) and 100% methanol (5 min)

ターゲット情報

組織特異性

機能 Variant histone H2A which repla

Variant histone H2A which replaces conventional H2A in a subset of nucleosomes where it represses transcription. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling. Involved in stable X chromosome inactivation. Inhibits the binding of transcription factors and interferes with the activity of remodeling SWI/SNF complexes. Inhibits histone acetylation by EP300 and recruits class I HDACs, which induces an hypoacetylated state of chromatin. In addition, isoform 1, but not isoform 2, binds ADP-ribose and O-acetyl-ADP-ribose, and may be involved in ADP-ribose-mediated chromatin modulation.

mediated officinatin mode

配列類似性 Contains 1 histone H2A domain.

Ubiquitous.

Contains 1 Macro domain.


翻訳後修飾 Monoubiquitinated at either Lys-116 or Lys-117. May also be polyubiquitinated. Ubiquitination is

mediated by the CUL3/SPOP E3 complex and does not promote proteasomal degradation.

Instead, it is required for enrichment in inactive X chromosome chromatin.

細胞内局在 Nucleus. Chromosome. Enriched in inactive X chromosome chromatin and in senescence-


画像



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-mH2A1 antibody [EPR9359(2)] (ab208879)

ab208879 staining mH2A1 in wild-type HAP1 cells (top panel) and H2AFY knockout HAP1 cells (bottom panel). The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated with ab208879 at 1/500 dilution (shown in red) and ab195887 at 1/250 dilution (shown in green) overnight at +4°C. Nuclear DNA was labelled in blue with DAPI.

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).




Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-mH2A1 antibody [EPR9359(2)] (ab208879)

ab208879 staining mH2A1 in HepG2 cells. The cells were fixed with 100% methanol (5 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3Mglycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab208879 at a 1/100 dilution (shown in red) and ab195887, Mouse monoclonal to alpha Tubulin (Alexa Ruor® 488), at a 1/250 dilution (shown in green). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Mcrosystems, TCS SP8).

This product also gave a positive signal under the same testing conditions in HepG2 cells fixed with 4% formaldehyde (10 min).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors