

Anti-Annexin V/ANXA5 antibody [EPR3980] ab108194

KO 評価済 リコンビナント RabMAb

[1 Abreviews](#) [7 References](#) [画像数 5](#)

製品の概要

製品名	Anti-Annexin V/ANXA5 antibody [EPR3980]
製品の詳細	Rabbit monoclonal [EPR3980] to Annexin V/ANXA5
由来種	Rabbit
特異性	The immunogen used for this product shares 80% homology with ANXA2 and 73% homology with ANXA4. Cross-reactivity with this protein has not been confirmed experimentally.
アプリケーション	適用あり: WB, ICC/IF, Flow Cyt (Intra)
種交差性	交差種: Mouse, Rat, Human
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
ポジティブ・コントロール	Flow Cyt (Intra): HeLa cells WB: HeLa, HAP1, and Jurkat cell lysates, and Mouse brain, Mouse heart, Rat Brain, and Rat heart tissue lysates ICC: JAR (Human placenta choriocarcinoma epithelial cell) cells
特記事項	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
バッファー	<p>pH: 7.20</p> <p>Preservative: 0.01% Sodium azide</p> <p>Constituents: 0.05% BSA, 40% Glycerol (glycerin, glycerine), 59% PBS</p>
精製度	Protein A purified

ポリ/モノ	モノクローナル
クローン名	EPR3980
アイソタイプ	IgG

アプリケーション


The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab108194の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/10000 - 1/50000. Predicted molecular weight: 36 kDa.
ICC/IF		1/50. For unpurified use at 1/500 - 1/1000.
Flow Cyt (Intra)		1/30. ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody. For unpurified use at 1/100 - 1/1000.

ターゲット情報


機能	This protein is an anticoagulant protein that acts as an indirect inhibitor of the thromboplastin-specific complex, which is involved in the blood coagulation cascade.
関連疾患	Pregnancy loss, recurrent, 3
配列類似性	Belongs to the annexin family. Contains 4 annexin repeats.
ドメイン	The [IL]-x-C-x-x-[DE] motif is a proposed target motif for cysteine S-nitrosylation mediated by the iNOS-S100A8/A9 transnitrosylase complex. A pair of annexin repeats may form one binding site for calcium and phospholipid.
翻訳後修飾	S-nitrosylation is induced by interferon-gamma and oxidatively-modified low-density lipoprotein (LDL(ox)) possibly implicating the iNOS-S100A8/9 transnitrosylase complex.

画像



Immunocytochemistry/ Immunofluorescence - Anti-Annexin V/ANXA5 antibody [EPR3980] (ab108194)

Immunocytochemistry analysis of JAR (Human placenta choriocarcinoma epithelial cell) cells labeling Annexin V/ANXA5 with purified ab108194 at 1:50 dilution (2.2 µg/ml). Cells were fixed in 100% Methanol and permeabilized with 0.1% tritonX-100. Cells were counterstained with Anti-alpha Tubulin antibody [DM1A] - Microtubule Marker (Alexa Fluor® 594) at 1/200 dilution (2.5 µg/ml) (**ab195889**) (red). Goat anti-rabbit IgG (Alexa Fluor® 488) (**ab150077**) was used as the secondary antibody at 1:1000 (2 µg/ml) dilution. DAPI (blue) was used as a nuclear counterstain. PBS instead of the primary antibody was used as the secondary antibody only control.



Western blot - Anti-Annexin V/ANXA5 antibody [EPR3980] (ab108194)


Lane 1: Wild-type HAP1 whole cell lysate (20 µg)

Lane 2: Annexin V knockout HAP1 whole cell lysate (20 µg)

Lane 3: HeLa whole cell lysate (20 µg)


Lanes 1 - 3: Merged signal (red and green). Green - ab108194 observed at 35 kDa. Red - loading control, **ab18058**, observed at 130 kDa.

ab108194 was shown to recognize Annexin V in wild-type cells as signal was lost at the expected MW in Annexin V knockout cells. Additional cross-reactive bands were observed in the wild-type and knockout cells. Wild-type and Annexin V knockout samples were subjected to SDS-PAGE. Ab108194 and **ab18058** (Mouse anti-Vinculin loading control) were incubated overnight at 4°C at 1/10000 dilution and 1/20000 dilution respectively. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preabsorbed **ab216773** and Goat anti-Mouse IgG H&L (IRDye® 680RD) preabsorbed **ab216776** secondary antibodies at 1/20000 dilution for 1 hour at room temperature before imaging.



Flow Cytometry (Intracellular) - Anti-Annexin
V/ANXA5 antibody [EPR3980] (ab108194)

Flow Cytometry analysis of HeLa (Human cervix adenocarcinoma epithelial cell) cells labelling Annexin V/ANXA5 with purified ab108194 at 1/30 dilution (10 µg/ml) (red). Cells were fixed with 80% Methanol and permeabilised with 0.1% Tween-20. A Goat anti-rabbit IgG (Alexa Fluor® 488) ([ab150081](#)) secondary antibody was used at 1/2000. Isotype control - Rabbit monoclonal IgG (black). Unlabelled control - Cell without incubation with primary antibody and secondary antibody (blue).



Western blot - Anti-Annexin V/ANXA5 antibody
[EPR3980] (ab108194)

All lanes : Anti-Annexin V/ANXA5 antibody [EPR3980]
(ab108194) at 1/10000 dilution (Purified)

Lane 1 : HeLa (Human cervix adenocarcinoma epithelial cell)
whole cell lysate

Lane 2 : Jurkat (Human T cell leukemia T lymphocyte) whole cell
lysate

Lane 3 : Mouse brain

Lane 4 : Mouse heart

Lane 5 : Rat brain

Lane 6 : Rat heart

Lysates/proteins at 20 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/20000
dilution

Predicted band size: 36 kDa

Observed band size: 36 kDa

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-Annexin V/ANXA5 antibody [EPR3980]
(ab108194)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors