# abcam

### Product datasheet

## Anti-BAIAP3 antibody ab106358

★★★★★ 1 Abreviews 画像数 2

#### 製品の概要

製品名 Anti-BAIAP3 antibody

製品の詳細 Rabbit polyclonal to BAIAP3

由来種 Rabbit

アプリケーション 適用あり: WB, IHC-P

種交差性 交差種: Human

免疫原 Synthetic peptide corresponding to 13 amino acids from near the amino terminus of human

BAIAP3 (EAW85671).

ポジティブ・コントロール SK-N-SH Cell lysate and human brain tissue.

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at 4°C (stable for up to 12 months).

**バッファー** pH: 7.2

Preservative: 0.02% Sodium azide

Constituent: 2.68% PBS

精製度 Immunogen affinity purified

**ポリ/モノ** ポリクローナル

アイソタイプ IgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab106358の使用に適用されます

#### アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews        | 特記事項  |
|----------|------------------|---|
| WB       |                  | Use a concentration of 2 µg/ml. Predicted molecular weight: 132 kDa.  |
| IHC-P    | <b>★★★★☆ (1)</b> | Use a concentration of 5 $\mu$ g/ml. Perform heat mediated antigen retrieval via the microwave method before commencing with IHC staining protocol. |


#### ターゲット情報

組織特異性 Predominantly expressed in brain.

配列類似性 Contains 2 C2 domains.

Contains 1 MHD1 (MUNC13 homology domain 1) domain. Contains 1 MHD2 (MUNC13 homology domain 2) domain.

#### 画像




**Lane 1 :** Anti-BAIAP3 antibody (ab106358) at 1  $\mu$ g/ml

**Lane 2 :** Anti-BAIAP3 antibody (ab106358) at 2  $\mu$ g/ml

All lanes: SK-N-SH cell lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 132 kDa



Immunohistochemical staining of human brain tissue using ab106358 at 5  $\mu g/ml$ .

Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-BAIAP3 antibody (ab106358)

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors