abcam

Product datasheet

Biotin Anti-CD11b + CD11c antibody [OX42] ab33827

7 References 画像数 1

製品の概要

製品名 Biotin Anti-CD11b + CD11c antibody [OX42]

製品の詳細 Biotin Mouse monoclonal [OX42] to CD11b + CD11c

由来種 Mouse 標識 Biotin

アプリケーション 適用あり: Flow Cyt

種交差性 交差種: Rat

免疫原 Tissue, cells or virus corresponding to Rat CD11b. Resident peritoneal macrophages from

(PVG.RT1[c] x PVG.RT1[u]) and (PVG.RT1[c] x PVG.RT1[a]) F1-hybrid rat.

ポジティブ・コントロール Rat peritoneal macrophages

特記事項 ab33827 recognises CD11b + CD11c expressed on most macrophages, including resident and

activated peritoneal macrophages, Kupffer cells, around 35% of alveolar macrophages, dendritic

cells, granulocytes and microglial cells in the brain.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

バッファー pH: 7.20

Preservative: 0.09% Sodium azide

Constituents: PBS, 1% BSA

精製度 Protein G purified

一次抗体 備考 ab33827 recognises CD11b expressed on most macrophages, including resident and activated

peritoneal macrophages, Kupffer cells, around 35% of alveolar macrophages, dendritic cells,

1

granulocytes and microglial cells in the brain.

ポリ/モノ モノクローナル

クローン名OX42アイソタイプIgG2b

アプリケーション


The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab33827の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use $10\mu I$ for 10^6 cells. Use neat - $1/10$. Use $10\mu I$ of the suggested working dilution to label 106 cells in $100\mu I$.

ターゲット情報

細胞内局在 CD11b: Membrane. CD11c: Membrane.

画像



FACS analysis of rat peritoneal macrophages using ab33827.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors