abcam

Product datasheet

Biotin Anti-CD41 antibody [MW Reg 30] ab95727

★★★★★ 1 Abreviews 1 References 画像数 1

製品の概要

製品名 Biotin Anti-CD41 antibody [MW Reg 30]

製品の詳細 Biotin Rat monoclonal [MW Reg 30] to CD41

由来種 Rat

標識 Biotin

アプリケーション 適用あり: Flow Cyt

種交差性 交差種: Mouse

免疫原 Tissue, cells or virus corresponding to Mouse CD41. Mouse platelets

ポジティブ・コントロール Mouse platelets

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

バッファー pH: 7.20

Preservative: 0.09% Sodium azide

Constituent: PBS

精製度 Protein G purified

ポリ/モノ モノクローナル

クローン名 MW Reg 30

アイソタイプ lgG1

軽鎖の種類 kappa

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab95727の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use 0.125µl for 10 ⁵⁻⁸ cells. (based on a final test voulme of 100 µl) ab18403 - Rat monoclonal lgG1, is suitable for use as an isotype control with this antibody.

ターゲット情報

機能

Integrin alpha-Ilb/beta-3 is a receptor for fibronectin, fibrinogen, plasminogen, prothrombin, thrombospondin and vitronectin. It recognizes the sequence R-G-D in a wide array of ligands. It recognizes the sequence H-H-L-G-G-G-A-K-Q-A-G-D-V in fibrinogen gamma chain. Following activation integrin alpha-Ilb/beta-3 brings about platelet/platelet interaction through binding of soluble fibrinogen. This step leads to rapid platelet aggregation which physically plugs ruptured endothelial cell surface.

組織特異性

Isoform 1 and isoform 2 were identified in platelets and megakaryocytes, but not in reticulocytes or in Jurkat and U937 white blood cell line. Isoform 3 is expressed by leukemia, prostate adenocarcinoma and melanoma cells but not by platelets or normal prostate or breast epithelial cells.

関連疾患

Defects in ITGA2B are a cause of Glanzmann thrombasthenia (GT) [MIM:273800]; also known as thrombasthenia of Glanzmann and Naegeli. GT is the most common inherited disease of platelets. It is an autosomal recessive disorder characterized by mucocutaneous bleeding of mild-to-moderate severity and the inability of this integrin to recognize macromolecular or synthetic peptide ligands. GT has been classified clinically into types I and II. In type I, platelets show absence of the glycoprotein Ilb/beta-3 complexes at their surface and lack fibrinogen and clot retraction capability. In type II, the platelets express the glycoprotein Ilb/beta-3 complex at reduced levels (5-20% controls), have detectable amounts of fibrinogen, and have low or moderate clot retraction capability. The platelets of GT 'variants' have normal or near normal (60-100%) expression of dysfunctional receptors.

配列類似性


Belongs to the integrin alpha chain family.

Contains 7 FG-GAP repeats.

細胞内局在

Membrane.

画像



Mouse platelets stained with 0.06 μg of ab95727 followed by Streptavidin PE.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors