

### Biotin Anti-Listeria monocytogenes antibody ab20766

★★★★★ [2 Abreviews](#) [1 References](#) [画像数 1](#)

#### 製品の概要

製品名	Biotin Anti-Listeria monocytogenes antibody
製品の詳細	Biotin Rabbit polyclonal to Listeria monocytogenes
由来種	Rabbit
標識	Biotin
アプリケーション	<b>適用あり:</b> ELISA, IHC-Fr
種交差性	<b>交差種:</b> Listeria monocytogenes
免疫原	Tissue, cells or virus corresponding to Listeria monocytogenes Listeria monocytogenes.
特記事項	<p>IgG fraction covalently coupled with the N-Hydroxysuccinimide ester of biotin under mild conditions to give a high degree of substitution.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	Preservative: 0.1% Sodium azide Constituent: 0.0268% PBS
精製度	IgG fraction
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

#### アプリケーション

**The Abpromise guarantee**      Abpromise保証は、次のテスト済みアプリケーションにおけるab20766の使用に適用されます  
 アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
ELISA		1/1000.
IHC-Fr	★★★★★ (1)	1/250.

## ターゲット情報

**関連性**

The genus *Listeria* comprises six species: *L. monocytogenes*, *L. innocua*, *L. welshimeri*, *L. seeligeri*, *L. ivanovii* and *L. grayi*. *Listeria monocytogenes*, the most commonly isolated pathogenic member, is associated with a wide spectrum of human and animal diseases. In the smear from the original tissue, *L. monocytogenes* may appear as gram-positive coccobacilli that may be confused with *Streptococcus agalactiae* (group B), enterococci, or *Corynebacterium* spp. *Listeria* is differentiated from streptococci by a positive catalase test. *L. monocytogenes* is the only species of the genus *Listeria* that has been clearly documented as a pathogen for humans. The forms of disease caused by this organism are myriad and age-related. The most common clinical manifestations are meningitis and septicemia. *Listeria monocytogenes*, a food-borne intracellular animal and human pathogen, interacts with infected host cells both prior to entry and during the intracellular phase of infection.

## 画像



ab20766 staining *Listeria monocytogenes* in mouse spleen tissue section from a mice infected with 1x10<sup>6</sup> *L. monocytogenes* for 24h by Immunohistochemistry (Frozen sections). Tissue samples were fixed with 4% paraformaldehyde for 2 hours at RT and then it was incubated ON in 30% Sucrose in PBS at 4°C, froze away in OCT/Tissuetek. The tissue samples were blocked with 1% 1:20 Cd16/32 at 20°C for 30 minutes. The sample was incubated with primary antibody (1/250) in PBS at 20°C for 1 hour. For detection Streptavidin-Cy3 was used at dilution at 1:500 in PBS for 30 min at 20°C.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors