abcam

Product datasheet

Anti-CD63 antibody [EPR21151] - BSA and Azide free ab227892

יעלאעבע RabMAb

画像数3

製品の概要

製品名 Anti-CD63 antibody [EPR21151] - BSA and Azide free

製品の詳細 Rabbit monoclonal [EPR21151] to CD63 - BSA and Azide free

由来種 Rabbit

アプリケーション 適用あり: WB, ICC/IF

種交差性 交差種: Mouse

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール ICC/IF: NIH/3T3 cells.

特記事項 ab227892 is the carrier-free version of ab217345.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar[®] Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our $\mathsf{RabMAb}^{\texttt{®}}$ technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

製品の特性

1

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C. Do Not Freeze.

バッファー pH: 7.2

Constituent: PBS

キャリア・フリー はい

精製度 Protein A purified

ポリ/モノ モノクローナル

クローン名 EPR21151

アイソタイプ lgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab227892の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration. Detects a band of approximately 40-60 kDa (predicted molecular weight: 26 kDa).
ICC/IF		Use at an assay dependent concentration.

ターゲット情報

機能 This antigen is associated with early stages of melanoma tumor progression. May play a role in

growth regulation.

組織特異性 Dysplastic nevi, radial growth phase primary melanomas, hematopoietic cells, tissue


macrophages.

配列類似性 Belongs to the tetraspanin (TM4SF) family.


細胞内局在 Cell membrane. Lysosome membrane. Late endosome membrane. Also found in Weibel-Palade

bodies of endothelial cells. Located in platelet dense granules.

画像



Immunocytochemistry/ Immunofluorescence - Anti-CD63 antibody [EPR21151] - BSA and Azide free (ab227892)



Immunocytochemistry/ Immunofluorescence - Anti-CD63 antibody [EPR21151] - BSA and Azide free (ab227892)

Immunofluorescent analysis of 100% methanol-fixed bEND.3 (mouse brain endothelioma cell line) cells labeling CD63 with <u>ab217345</u> at 1/100 dilution followed by Goat Anti-Rabbit lgG H&L (Alexa Fluor[®] 488) (<u>ab150077</u>) secondary antibody at 1/1000 dilution (green). Confocal image showing cytoplasmic staining in bEND.3 cell line.

The nuclear counter stain is DAPI (blue). Tubulin is detected with Anti-alpha Tubulin antibody [DM1A] - Microtubule Marker (Alexa Fluor[®] 594) (**ab195889**) (red) at 1/200 dilution.

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (Alexa Fluor® 488) (ab150077) secondary antibody at 1/1000 dilution.


This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (ab217345).

Immunofluorescent analysis of 100% methanol-fixed NIH/3T3 (mouse embryo fibroblast cell line) cells labeling CD63 with <u>ab217345</u> at 1/100 dilution followed by Goat Anti-Rabbit lgG H&L (Alexa Fluor[®] 488) (<u>ab150077</u>) secondary antibody at 1/1000 dilution (green). Confocal image showing cytoplasmic staining in the NIH/3T3 cell line.

The nuclear counter stain is DAPI (blue). Tubulin is detected with Anti-alpha Tubulin antibody [DM1A] - Microtubule Marker (Alexa Fluor[®] 594) (ab195889) (red) at 1/200 dilution.

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit lgG H&L (Alexa Fluor[®] 488) (ab150077) secondary antibody at 1/1000 dilution.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (ab217345).



Anti-CD63 antibody [EPR21151] - BSA and Azide free (ab227892)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors