

Anti-CD90 / Thy1 antibody [IBL-6/23] ab3105

★★★★★ **3 Abreviews** **33 References** 画像数 **2**

製品の概要

製品名	Anti-CD90 / Thy1 antibody [IBL-6/23]
製品の詳細	Rat monoclonal [IBL-6/23] to CD90 / Thy1
由来種	Rat
アプリケーション	適用あり: IHC-P, Flow Cyt, IHC-FoFr
種交差性	交差種: Mouse
免疫原	Full length protein corresponding to CD90/ Thy1. Database link: <u>P01831</u>
ポジティブ・コントロール	Flow Cyt: mouse peripheral lymph node IHC-P: mouse spleen tissue
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	Preservative: 0.09% Sodium azide Constituent: 1% BSA
精製度	Protein G purified
ポリ/モノ	モノクローナル
クローン名	IBL-6/23
ミエローマ	Sp2/0-Ag14
アイソタイプ	IgG1
軽鎖の種類	kappa

アプリケーション


The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab3105の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Flow Cyt	★★★★★ (1)	Use a concentration of 5 µg/ml.
IHC-FoFr		Use at an assay dependent concentration.

ターゲット情報


機能	May play a role in cell-cell or cell-ligand interactions during synaptogenesis and other events in the brain.
配列類似性	Contains 1 Ig-like V-type (immunoglobulin-like) domain.
細胞内局在	Cell membrane.

画像



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of mouse spleen tissue labelling CD90 / Thy1 with ab3105 at 1/100. Antigen retrieval was heat-mediated with citrate buffer pH 6.0.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-CD90 / Thy1 antibody
[IBL-6/23] (ab3105)



Flow cytometry analysis of mouse peripheral lymph node labeling CD90 / Thy1 with ab3105 at 5 ug/mL.

PE-conjugated anti-rat IgG.

Red line: isotype control labeling with <3% positive events.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors