

### Anti-CIAPIN1 antibody ab154904

#### 4 References [画像数 3](#)

医薬用外劇物

#### 製品の概要

製品名	Anti-CIAPIN1 antibody
製品の詳細	Rabbit polyclonal to CIAPIN1
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB, IHC-P
種交差性	<b>交差種:</b> Mouse, Human
免疫原	Recombinant fragment, corresponding to a region within amino acids 1-312 of Human CIAPIN1 (Uniprot ID: Q6F181).
ポジティブ・コントロール	Jurkat, Raji, K562, THP1, HL60, NCI-H929, NIH 3T3, JC and BCL1 whole cell lysates; Human SkHep1 xenograft tissue.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
バッファー	pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 79.99% PBS, 20% Glycerol (glycerin, glycerine)
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

#### アプリケーション

## The Abpromise guarantee

**Abpromise保証は、**次のテスト済みアプリケーションにおけるab154904の使用に適用されます


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/3000. Predicted molecular weight: 34 kDa.
IHC-P		1/100 - 1/1000.

## ターゲット情報

機能	May be required for the maturation of extramitochondrial Fe/S proteins (By similarity). Has anti-apoptotic effects in the cell. Involved in negative control of cell death upon cytokine withdrawal. Promotes development of hematopoietic cells.
組織特異性	Ubiquitously expressed. Highly expressed in heart, liver and pancreas.
配列類似性	Belongs to the anamorsin family.
細胞内局在	Cytoplasm. Nucleus.

## 画像



Western blot - Anti-CIAPIN1 antibody (ab154904)

**All lanes :** Anti-CIAPIN1 antibody (ab154904) at 1/1000 dilution

**Lane 1 :** Jurkat whole cell lysate

**Lane 2 :** Raji whole cell lysate

**Lane 3 :** K562 whole cell lysate

**Lane 4 :** THP1 whole cell lysate


**Lane 5 :** HL60 whole cell lysate

**Lane 6 :** NCI-H929 whole cell lysate

Lysates/proteins at 30 µg per lane.

**Predicted band size:** 34 kDa

10% SDS PAGE



Western blot - Anti-CIAPIN1 antibody (ab154904)

**All lanes :** Anti-CIAPIN1 antibody (ab154904) at 1/3000 dilution

**Lane 1 :** NIH 3T3 whole cell lysate


**Lane 2 :** JC whole cell lysate

**Lane 3 :** BCL1 whole cell lysate

Lysates/proteins at 30 µg per lane.

**Predicted band size:** 34 kDa

10% SDS PAGE



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-CIAPIN1 antibody (ab154904)

Immunohistochemical analysis of formalin-fixed, paraffin-embedded Human SkHep1 xenograft tissue labeling CIAPIN1 with ab154904 at 1/500 dilution.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

## Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors