

Anti-Collagen I + Collagen III antibody ab24135

1 References

製品の概要

製品名	Anti-Collagen I + Collagen III antibody
製品の詳細	Rabbit polyclonal to Collagen I + Collagen III
由来種	Rabbit
特異性	Specificity is measured by ELISA using pure pig collagen types I and III. No binding to pig serum proteins is seen at similar dilutions of the antibody. No cross reactivity seen against pig basement membrane collagens type IV and V in immunostaining.
アプリケーション	適用あり: IHC-Fr, ELISA
種交差性	交差種: Pig
免疫原	Full length native collagen type I and III from pig skin.
ポジティブ・コントロール	Pig kidney and skin. Cultured porcine cells.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Lyophilized:Reconstitute with 1ml of distilled water and add preservative if required.
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
バッファー	<p>pH: 8.00</p> <p>Constituents: 0.16% Sodium phosphate, 0.38% Sodium borate, 0.87% Sodium chloride, 1% Dextran, 1% Mannitol</p>
精製度	Immunogen affinity purified
特記事項 (精製)	Pooled antisera are passed over DEAE-cellulose to produce an IgG enriched fraction. Antibodies specific to type I and type III pig collagen are then immobilised by affinity chromatography and eluted with an acidic buffer. The final purification steps are neutralisation, dialysis and lyophilisation.

ポリモノ
アイソタイプ

ポリクローナル
IgG

アプリケーション

The Abpromise guarantee **Abpromise保証は、** 次のテスト済みアプリケーションにおけるab24135の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-Fr		1/20.
ELISA		1/3000.

ターゲット情報

関連性	Collagen I is a fibrillar collagen found in most connective tissues, and the only component of the collagen found in cartilage. Mutations in this gene are associated with osteogenesis imperfecta, Ehlers Danlos syndrome, and idiopathic osteoporosis. Reciprocal translocations between chromosomes 17 and 22, where this gene and the gene for platelet derived growth factor beta are located, are associated with a particular type of skin tumor called dermatofibrosarcoma protuberans, resulting from unregulated expression of the growth factor. Two transcripts, resulting from the use of alternate polyadenylation signals, have been identified for this gene. Collagen III is a fibrillar collagen that is found in extensible connective tissues such as skin, lung, and the vascular system, frequently in association with Collagen I. Mutations in this gene are associated with Ehlers Danlos syndrome type IV, and with aortic and arterial aneurysms. Although alternate transcripts have been detected for this gene, they are the result of mutations; these mutations alter splicing, often leading to the exclusion of multiple exons.
細胞内局在	Secreted

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors