abcam

Product datasheet

Anti-Cortisol Binding Globulin antibody [EPR4615] ab110648

יעלאעבע RabMAb

1 References 画像数 2

製品の概要

製品名 Anti-Cortisol Binding Globulin antibody [EPR4615]

製品の詳細 Rabbit monoclonal [EPR4615] to Cortisol Binding Globulin

由来種 Rabbit

アプリケーション 適用あり: WB

適用なし: ICC/IF,IHC-P or IP

種交差性 交差種: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール Human fetal artery, plasma and placenta lysates

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with

these species. Please contact us for more information.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

バッファー

Preservative: 0.05% Sodium azide

Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue

culture supernatant

精製度 Protein A purified

ポリモノ モノクローナル

クローン名 EPR4615

アイソタイプ lgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab110648の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/1000 - 1/10000. Detects a band of approximately 60 kDa (predicted molecular weight: 45 kDa).

追加情報 Is unsuitable for ICC/IF,IHC-P or IP.

ターゲット情報

機能 Major transport protein for glucocorticoids and progestins in the blood of almost all vertebrate

species.

組織特異性 Plasma; synthesized in liver. Has also been identified in a number of glycocorticoid responsive

cells.

関連疾患 Defects in SERPINA6 are a cause of corticosteroid-binding globulin deficiency (CBG deficiency)

[MIM:611489]. CBG deficiency is an extremely rare hereditary disorder characterized by reduced

corticosteroid-binding capacity with normal or low plasma corticosteroid-binding globulin concentration, and normal or low basal cortisol levels associated with hypo/hypertension and

muscle fatigue.


配列類似性 Belongs to the serpin family.

翻訳後修飾 N-glycosylated; binds 5 oligosaccharide chains.

Glycosylation in position Asn-260 is needed for steroid binding.

細胞内局在 Secreted.

画像



All lanes : Anti-Cortisol Binding Globulin antibody [EPR4615] (ab110648) at 1/1000 dilution

Lane 1: Human fetal artery lysate

Lane 2: Human plasma lysate


Lane 3: Human placenta lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes: HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 45 kDa **Observed band size:** 60 kDa



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors