abcam

Product datasheet

Anti-DFFB/CAD antibody ab8401

画像数 4

製品の概要

製品名 Anti-DFFB/CAD antibody

製品の詳細 Rabbit polyclonal to DFFB/CAD

由来種 Rabbit

アプリケーション 適用あり: WB, IHC-P, ICC/IF

種交差性 交差種: Mouse

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール Murine kidney tissue lysate. A 40 kDaband should be detected.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

バッファー pH: 7.2

Preservative: 0.02% Sodium azide

精製度 Affinity purified

ポリ/モノ ポリクローナル

アイソタイプ IgG

軽鎖の種類 unknown

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab8401の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|---|
| WB | | 1/500 - 1/1000. Predicted molecular weight: 39 kDa. |
| IHC-P | | Use a concentration of 2 µg/ml. |
| ICC/IF | | Use a concentration of 20 µg/ml. |

ターゲット情報


機能 Nuclease that induces DNA fragmentation and chromatin condensation during apoptosis.

Degrades naked DNA and induces apoptotic morphology.

配列類似性 Contains 1 CIDE-N domain.

細胞内局在 Cytoplasm. Nucleus.


画像



Western blot - Anti-DFFB/CAD antibody (ab8401)


Anti-DFFB/CAD antibody (ab8401) at 2 μ g/ml + murine kidney tissue lysate

Predicted band size: 39 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-DFFB/CAD antibody (ab8401)

Immunohistochemistry (Formalin-fixed paraffin embedded sections) of mouse kidney tissue labeling DFFB/CAD with Anti-DFFB/CAD antibody (ab8401) at 5μ g/ml.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-DFFB/CAD antibody (ab8401)

ab8401 at $2\mu g/ml$ staining DFFB/CAD in mouse kidney tissue by IHC

Immunocytochemistry/ Immunofluorescence - Anti-DFFB/CAD antibody (ab8401) Immunofluorescence of DFFB/CAD in Mouse Kidney cells using ab8401 at 10 ug/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors