

FITC Anti-S100A9 + Calprotectin (S100A8/A9 complex) antibody [MAC387] ab7429

★★★★☆ [1 Abreviews](#) [7 References](#) [画像数 1](#)

製品の概要

製品名	FITC Anti-S100A9 + Calprotectin (S100A8/A9 complex) antibody [MAC387]
製品の詳細	FITC Mouse monoclonal [MAC387] to S100A9 + Calprotectin (S100A8/A9 complex)
由来種	Mouse
標識	FITC. Ex: 493nm, Em: 528nm
特異性	This antibody recognises the L1 or Calprotectin molecule, an intracytoplasmic antigen comprised of a 12kD alpha chain and a 14kD beta chain. The antigen is expressed by granulocytes, monocytes and tissue macrophages. Variable results have been reported for staining brain macrophages and microglia.
アプリケーション	適用あり: Flow Cyt (Intra)
種交差性	交差種: Rat, Rabbit, Horse, Guinea pig, Cow, Cat, Dog, Human, Pig, Monkey, Baboon, Cynomolgus monkey, Rhesus monkey
免疫原	Tissue, cells or virus corresponding to Human S100A9 + Calprotectin (S100A8/A9 complex). Human monocytes
ポジティブ・コントロール	Flow Cyt (Intra): Human peripheral blood granulocyte
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C.
バッファー	Preservative: 0.1% Sodium azide Constituent: 0.2% BSA
精製度	Protein G purified


特記事項 (精製)	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
ポリ/モノ	モノクローナル
クローン名	MAC387
ミエローマ	NS1
アイソタイプ	IgG1

アプリケーション

The Abpromise guarantee **Abpromise保証は、**次のテスト済みアプリケーションにおけるab7429の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt (Intra)		Use 10µl for 10 ⁶ cells. Membrane permeabilisation is required for this application. ab91356 - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

画像



ab7429 staining S100A9 + Calprotectin (FITC) in human peripheral blood granulocyte by Intracellular Flow Cytometry analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors