

Anti-Flt3 ligand/Flt3L antibody ab9688

3 References [画像数 1](#)

製品の概要

製品名	Anti-Flt3 ligand/Flt3L antibody
製品の詳細	Rabbit polyclonal to Flt3 ligand/Flt3L
由来種	Rabbit
アプリケーション	適用あり: Flow Cyt, WB, Neutralising, Sandwich ELISA
種交差性	交差種: Human, Recombinant fragment
免疫原	Recombinant fragment corresponding to Human Flt3 ligand/Flt3L aa 1-200. Highly pure>98%. Produced in E. coli. Database link: P49771

 [Run BLAST with](#)

 [Run BLAST with](#)

特記事項

hflt3-Ligand (flk2-ligand) stimulates the proliferation and colony formation of certain bone marrow precursor cells including CD34+ cells

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態	Lyophilized:Reconstitute with 200µl of sterile water. Please note that if you receive this product in liquid form it has already been reconstituted as described and no further reconstitution is necessary.
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
バッファー	No preservative, sterile filtered
精製度	Immunogen affinity purified
一次抗体 備考	hflt3-Ligand (flk2-ligand) stimulates the proliferation and colony formation of certain bone marrow precursor cells including CD34+ cells
ポリ/モノ	ポリクローナル

アイソタイプ

IgG

アプリケーション


The Abpromise guarantee **Abpromise保証は、** 次のテスト済みアプリケーションにおけるab9688の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use at an assay dependent concentration. PubMed: 22897934
WB		Use at an assay dependent concentration. Predicted molecular weight: 26 kDa. The detection limit for recombinant Flt3 ligand/Flt3L is 1.5-3.0 ng/lane, under either reducing or non-reducing conditions.
Neutralising		Use at an assay dependent concentration. Yields one-half maximal inhibition [ND50] of the biological activity of hFlt-3 Ligand (1.0 ng/ml)
Sandwich ELISA		Use a concentration of 0.5 - 2 µg/ml. In conjunction with ab84261 rabbit polyclonal to Flt3 ligand/Flt3L (Biotin) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant human Flt3 ligand/Flt3L.

ターゲット情報

機能	Stimulates the proliferation of early hematopoietic cells by activating FLT3. Synergizes well with a number of other colony stimulating factors and interleukins.
細胞内局在	Secreted and Cell membrane.

画像



Sandwich ELISA - Anti-Flt3 ligand/Flt3L antibody
(ab9688)

To detect human Flt3 ligand/Flt3L by sandwich ELISA (using 100 µl/well antibody solution) a concentration of 0.25 – 1.0 µg/ml of **ab84261** is required. This biotinylated polyclonal antibody, in conjunction with an anti-Human Flt3-ligand (ab9688) as a capture antibody, allows the detection of at least 0.2 – 0.4 ng/well of recombinant human Flt3 ligand/Flt3L.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors