# abcam

## Product datasheet

# Anti-FSH beta antibody [INN-hFSH-60] ab11069

## 2 References

#### 製品の概要

製品名 Anti-FSH beta antibody [INN-hFSH-60]

製品の詳細 Mouse monoclonal [INN-hFSH-60] to FSH beta

由来種 Mouse

特異性 Ab11069 Shows strong reactions with hFSH and beta hFSH, but no cross reactivity with hTSH,

hLH, hCG, alpha hCG, alpha hFSH. The recognition site is located near the alpha 1 binding site

on the hFSH molecule. It is not compatible with other anti hFSH beta antibodies.

アプリケーション 適用あり: IHC-Fr, ELISA, IHC-P

種交差性 交差種: Human

免疫原 Full length native protein (purified) (Human).

コピトープ Directed against the Beta 2 epitope of the Beta subunit of human FSH beta.

ポジティブ・コントロール Pituitary Gland.

特記事項 This product should be stored undiluted. Storage in frost free freezers is not recommended.

Should this product contain a precipitate we recommend microcentrifugation before use.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

**バッファー** pH: 7.40

Preservative: 0.09% Sodium azide

Constituent: PBS

精製度 Protein A purified

**ポリ/モノ** モノクローナル

1

**ウローン名** INN-hFSH-60 ミ**エローマ** P3x63-Ag8.653

アイソタイプ lgG1

#### アプリケーション

**The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab11069の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-Fr		Use at an assay dependent concentration.
ELISA		Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration.

#### ターゲット情報

関連性 Follicle stimulating hormone enables ovarian folliculogenesis to the antral follicle stage and is

essential for Sertoli cell proliferation and maintenance of sperm quality in the testis. Members of the pituitary glycoprotein hormone family, of which FSH is one consist of a shared alpha chain and a beta chain encoded by a separate gene. The FSH beta gene encodes the beta subunit of

follicle stimulating hormone.

細胞内局在 Secreted

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors