abcam

Product datasheet

Anti-GST antibody ab9085

★★★★★ 2 Abreviews 59 References 画像数 1

製品の概要

製品名 Anti-GST antibody

製品の詳細 Rabbit polyclonal to GST

由来種 Rabbit

アプリケーション **適用あり**: WB

種交差性 交差種: Species independent

免疫原 The details of the immunogen for this antibody are not available.

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

バッファー pH: 7.00

Constituent: 50% Glycerol

精製度 Immunogen affinity purified

特記事項(精製) Affinity purified against bacterially expressed GST

ポリ/モノ ポリクローナル

アイソタイプ lqG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab9085の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

1


アプリケーション	Abreviews	特記事項
WB	★★★★★ (2)	1/500.

ターゲット情報

関連性

GST (Glutathione S-Transferase) is a 26kDa protein encoded by the parasitic helminth *Schistosoma japonicum* and widely used in the pGEX family of GST plasmid expression vectors as a fusion protein with foreign proteins.

画像



All lanes: Anti-GST antibody (ab9085) at 1/2000 dilution

Lane 1: Recombinant GST protein purified from E. coli XL1-BlueLane 2: Recombinant GST-tagged p53 protein purified from E. coli XL1-Blue

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : HRP-conjugated Goat anti-Rabbit lgG polyclonal at 1/20000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Observed band size: 26,80 kDa

Exposure time: 5 seconds

Blocked with 5% Milk for 1 hour at 25°C.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors