# abcam

## Product datasheet

# Anti-GST antibody [EPR4236] - BSA and Azide free ab235384

יעלאעבע RabMAb

#### 画像数3

#### 製品の概要

製品名 Anti-GST antibody [EPR4236] - BSA and Azide free

製品の詳細 Rabbit monoclonal [EPR4236] to GST - BSA and Azide free

由来種 Rabbit

アプリケーション 適用あり: WB, IP, ICC/IF

適用なし: Flow Cyt or IHC-P

種交差性 交差種: Species independent

免疫原 Synthetic peptide (GST-tag) within GST aa 300-450. The exact sequence is proprietary. GST tag

was fused to ATG16L1 to produce a recombinant protein.

Database link: Q676U5

特記事項 ab235384 is the carrier-free version of ab111947.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar<sup>®</sup> is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

#### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C. Do Not Freeze.

**バッファー** pH: 7.2

Constituent: PBS

キャリア・フリー はい

精製度 Protein A purified

**ポリ/モノ** モノクローナル **クローン名** EPR4236

アイソタイプ lgG

#### アプリケーション

**The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab235384の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration. Predicted molecular weight: 26 kDa.
IP		Use at an assay dependent concentration.
ICC/IF		Use at an assay dependent concentration.

追加情報 Is unsuitable for Flow Cyt or IHC-P.


#### ターゲット情報

**関連性** GST (Glutathione S-Transferase) is a 26kDa protein encoded by the parasitic helminth

Schistosoma japonicum and widely used in the pGEX family of GST plasmid expression vectors


as a fusion protein with foreign proteins.

## 画像



Immunoprecipitation - Anti-GST antibody [EPR4236]

- BSA and Azide free (ab235384)



Sample: 293T transfected with GST tagged protein vector cell

lysate 10 ug

Lane 2: Primary: ab180123, 1/1000 dilution

Sample: 293T transfected with GST tagged protein vector cell

lysate

Secondary: <u>ab131366</u>, Veriblot, 1/10000 dilution

Lane 3: Primary: ab172730, Rabbit monoclonal lgG

Sample: 293T transfected with GST tagged protein vector cell


lysate

All lanes: VeriBlot for IP Detection Reagent (HRP) (  $\underline{ab131366}$  ), was

used for detection at 1/10,000 dilution

Blocking and diluting buffer: 5% NFDM/TBST

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (<u>ab111947</u>).



Immunoprecipitation - Anti-GST antibody [EPR4236]

- BSA and Azide free (ab235384)

GST immunoprecipitation from transfected 293T whole cell lysate using <u>ab111947</u>. 1 mg of cell lysate was incubated with capture antibody (<u>ab111947</u>) at 1/20 dilution.

Lane 1: Primary: ab111947, 1/1000 dilution

Sample: 293T transfected with GST tagged protein vector cell

lysate 10 ug

Lane 2: Primary: <u>ab111947</u>, 1/1000 dilution

Sample: 293T transfected with GST tagged protein vector cell

lysate

Lane 3: Primary: ab172730, Rabbit monoclonal IgG


Sample: 293T transfected with GST tagged protein vector cell

lysate

All lanes: VeriBlot for IP Detection Reagent (HRP) (<u>ab131366</u>), was used for detection at 1/10,000 dilution

Blocking and diluting buffer: 5% NFDM/TBST

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (ab111947).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

Guarantee only valid for products bought direct from Abcam or one of our authorized distributors