

### Anti-GULP antibody ab97669

#### 1 References [画像数 2](#)

医薬用外劇物

#### 製品の概要

製品名	Anti-GULP antibody
製品の詳細	Rabbit polyclonal to GULP
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB
種交差性	交差種: Mouse, Human 交差が予測される動物種: Rat 
免疫原	Synthetic peptide corresponding to Human GULP aa 241-304. Database link: <a href="#">NP_057399</a>
ポジティブ・コントロール	293T, HeLa, HepG2, MOLT4 or NIH3T3 cell lysate.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 1.21% Tris, 0.75% Glycine, 10% Glycerol (glycerin, glycerine)
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

## アプリケーション

### The Abpromise guarantee

**Abpromise保証は、次のテスト済みアプリケーションにおけるab97669の使用に適用されます**

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/3000. Predicted molecular weight: 35 kDa.

## ターゲット情報

### 機能

May function as an adapter protein. Required for efficient phagocytosis of apoptotic cells. Modulates cellular glycosphingolipid and cholesterol transport. May play a role in the internalization and endosomal trafficking of various LRP1 ligands, such as PSAP. Increases cellular levels of GTP-bound ARF6.

### 組織特異性

Widely expressed. Detected in macrophages, pancreas, kidney, skeletal muscle, heart, colon, intestine, lung, placenta and ovary.


### 配列類似性

Belongs to the ced-6 family.  
Contains 1 PID domain.

### 細胞内局在

Cytoplasm. May associate with the cytoplasmic side of the plasma membrane and early endosomes.

## 画像



**All lanes :** Anti-GULP antibody (ab97669) at 1/1000 dilution


**Lane 1 :** HepG2 whole cell lysate

**Lane 2 :** MOLT4 whole cell lysate

Lysates/proteins at 30 µg per lane.

**Predicted band size:** 35 kDa

10% SDS-PAGE.



Anti-GULP antibody (ab97669) at 1/1000 dilution + NIH3T3 whole cell lysate at 30 µg

**Predicted band size:** 35 kDa

10% SDS-PAGE.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors