abcam

Product datasheet

HRP Anti-6X His tag® antibody ab1187

▶◆◆◆◆ 10 Ahraviawe 115 Rafarancae 画像数 1

医薬用外劇物

製品の概要

製品名 HRP Anti-6X His tag® antibody

製品の詳細 HRP Rabbit polyclonal to 6X His tag®

由来種 Rabbit 標識 HRP

アプリケーション 適用あり: ELISA, WB

種交差性 交差種: Species independent

免疫原 Synthetic peptide corresponding to 6X His tag® conjugated to keyhole limpet haemocyanin.

Run BLAST with EXPASY Run BLAST with S NCBI

ポジティブ・コントロール E. coli Positive Control (Escherichia coli) Whole Cell Lysate - expressing 6X His tag protein

(ab2431) can be used as a positive control in WB.

特記事項 Abcam recommended secondaries - Goat Anti-Rabbit HRP (<u>ab205718</u>) and Goat Anti-Rabbit

Alexa Fluor® 488 (ab150077). Or search our wide range of secondary antibodies for use with your

experiment.

HIS-TAG® is a trademark of EMD Biosciences, Inc.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

バッファー pH: 7.00

Preservative: 0.002% Thimerosal (merthiolate)

Constituents: 1.19% HEPES, 0.58% Sodium chloride, 0.2% BSA

1

精製度 Immunogen affinity purified

特記事項(精製) Antibodies were immunoaffinity purified using the peptide conjugated to a solid-phase support

and conjugated to horseradish peroxidase.

ポリ/モノ ポリクローナル

アイソタイプ IgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab1187の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ELISA	★★★★ <u>(3)</u>	1/5000 - 1/20000.
WB	★★★★ (9)	1/1000 - 1/5000.

ターゲット情報

関連性 The H-H-H-H motif is used as a tag on many recombinant proteins to facilitate purification.


His-tags can be fused to the amino- or carboxy- termini of proteins in transfected or transformed

cells.

細胞内局在 Depends upon the localization of the parent protein tagged with hexahistidine.

画像

Ohrt Thomas



All lanes : HRP Anti-6X His tag® antibody (ab1187) at 1/4000 dilution

Lane 1: 4ug Human His-tagged protein purified from E.coli
Lane 2: 2ug Human His-tagged protein purified from E.coli
Lane 3: 1ug Human His-tagged protein purified from E.coli
Lane 4: 0.5ug Human His-tagged protein purified from E.coli

Observed band size: 136 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors